

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
21 June 2001 (21.06.2001)

PCT

(10) International Publication Number
WO 01/44449 A1

- (51) International Patent Classification⁷: C12N 9/16, 9/22, 1/20, 15/00, 5/00, C07H 21/04
- (21) International Application Number: PCT/US00/34045
- (22) International Filing Date:
14 December 2000 (14.12.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/170,562 14 December 1999 (14.12.1999) US
- (71) Applicant (for all designated States except US): **UNIVERSITY OF UTAH RESEARCH FOUNDATION** [US/US]; Suite 110, 615 Arapen Drive, Salt Lake City, UT 84108 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **BOLGER, Graeme** [CA/US]; University of Alabama, Comprehensive Cancer Center, WTI 520, 1530 3rd Avenue South, Birmingham, AL 35294-3300 (US).
- (74) Agent: **GIDDINGS, Barton; Madson & Metcalf**, Suite 900, 15 West South Temple, Salt Lake City, UT 84101 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:
— With international search report.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/44449 A1

(54) Title: TWO NOVEL cAMP-SPECIFIC PHOSPHODIESTERASE (PDE4B) ISOFORMS AND RELATED TECHNOLOGY

(57) Abstract: Two novel cAMP-specific isoforms of rat PDE4B are disclosed. pRPDE90 is a cDNA encoding a 659-amino acid-long protein with a large region corresponding to similar regions found in PDE4B1 and PDE4B3. It is separated from these isoforms by a 17-amino acid region found at its extreme amino-terminal end which shows no homology to any previously-cloned sequence. pRPDE89 is a rat cDNA which encodes a 726-amino acid-long protein which is 96 % identical to the human PDE4B1 phosphodiesterase isoform.

TWO NOVEL cAMP-SPECIFIC PHOSPHODIESTERASE (PDE4B) ISOFORMS AND RELATED TECHNOLOGY

1. Related Applications

5 This application is related to and claims the benefit of United States Provisional Application Serial No. 60/170,562 of Graeme B. Bolger, filed December 14, 1999 and entitled "Two Novel cAMP-Specific Phosphodiesterase (PDE4B) Isoforms and Related Technology," which is incorporated herein by reference.

10 2. Field of the Invention

The present invention relates to cyclic AMP-specific phosphodiesterases (PDE4 enzymes), which help regulate physiological processes by hydrolizing cAMP, an intracellular signaling molecule. Specifically, the invention relates to two novel cAMP-specific phosphodiesterase isoforms which are expressed in many body tissues, including
15 the brain.

3. Technical Background

Cyclic AMP ("cAMP") is an intracellular signaling molecule involved in many important cellular processes. Specifically, cAMP is critical to signaling pathways which
20 regulate physiological processes such as those involved in vascular smooth muscle, the immune system, and the brain. cAMP-specific phosphodiesterases, referred to as "PDE4 enzymes," hydrolyze cAMP and thus regulate these pathways in cells. The cAMP-specific phosphodiesterases can be differentiated from other cyclic nucleotide phosphodiesterase ("PDE") families by sequence homology in the catalytic region of the
25 proteins as well as by their ability to be inhibited by a specific class of drugs, such as rolipram. Beavo, *Physiol. Rev.* 75:725-48 (1995). Rolipram and other specific PDE4 inhibitors have anti-depressant, anti-inflammatory and smooth muscle relaxant properties in humans. Houslay et al., *Advances in Pharmacology*, 44:225-342 (1998). PDE4
30 enzymes are also characterized by the presence of unique "signature" regions of sequence, called upstream conserved regions, or "UCR," such as UCR1 and UCR2, which are located in the amino-terminal third of the proteins. Houslay, et al., *supra*; Bolger et al., *Mol. Cell Biol.*, 13:6558-71 (1993).

PDE4 enzymes are also the closest vertebrate homologs of the *dunce* gene of *Drosophila melanogaster*, which was isolated as a mutation affecting learning and memory. Davis, *Physiol. Rev.* 76:299–317 (1996). The mammalian PDE4s are encoded by four genes (*PDE4A*, *PDE4B*, *PDE4C* and *PDE4D*), and it has been shown by several
5 researchers that additional diversity in this family is produced by alternative mRNA splicing. Bolger et al., *supra*; Sette et al., *J. Biol. Chem.*, 269(32):20806 (Aug. 12, 1994); Bolger et al., *J. Biol. Chem.*, 271:1065–71 (1996); Bolger et al., *Biochem. J.*, 328:539–48 (1997); Naro et al., *Endocrinology*, 137:2464–72 (1996); Huston et al., *Biochem J.* 328:549–56 (1997). See Houslay et al., *supra*, for a review of these findings. Often the
10 alternatively-spliced isoforms have different tissue expression patterns, a fact which suggests that each may have a distinct function.

Intracellular signaling molecules are important since they transmit a signal received outside of the cell to target molecules in the cytosol, thus allowing a cell to react to changes in its environment. This transmission is generally a multistep process often
15 having at least the general steps laid out in the following cAMP-specific sequence: First, an extracellular ligand binds to a plasma membrane-bound receptor molecule which has a binding domain extending into the extracellular space and a domain extending into the cytosol. Second, the binding of the ligand to the extracellular domain changes the conformation of the cytosolic domain, thus causing it to bind to a G-protein. Third, the G-
20 protein, in turn, activates a plasma membrane enzyme which produces cAMP (adenylyl cyclase). Fourth, the cAMP then binds to target molecules in the cytosol, thus altering their conformation and activity. Finally, cyclic AMP-specific phosphodiesterases rapidly break down the cAMP, hydrolizing it to form adenosine 5'-monophosphate.

As seen in the final step, in order to use cAMP as a signaling molecule, a cell
25 must be able to quickly manipulate the levels of cAMP present in response to signals transmitted to the outside of the cell. Cyclic AMP functions well in this respect, having been shown in some cases to respond to hormonal stimulation by increasing in cellular concentration by five-fold within seconds.

Such rapid changes in cAMP levels are possible due to a cell's ability to rapidly
30 synthesize cAMP. Cells are also adapted to rapidly break down cAMP. Cyclic AMP is synthesized from ATP by adenylyl cyclase, an enzyme found in the plasma membrane of a cell. Cyclic AMP is hydrolized by cyclic AMP phosphodiesterases to form adenosine

5'-monophosphate ("5'-AMP"). These phosphodiesterases are found in many tissues, including specific regions of the brain.

It is known that certain cAMP-specific phosphodiesterases ("PDE4 enzymes") are the targets of inhibitors. Some of these inhibitors have been shown to have positive effects on the brain, including exhibiting anti-depressant properties, memory-enhancing qualities, and other positive effects on the function of the central nervous system. Unfortunately, however, these beneficial effects are often accompanied by nausea and other gastrointestinal side effects. These negative side effects are likely mediated at least in part by the action of the inhibitors used on the brain. The number of isoforms of the PDE4 enzymes present in the brain is currently unknown, as is an understanding of which inhibitors affect which phosphodiesterases. Knowledge of novel isoforms of PDE4 enzymes would be a great advancement in the art, allowing researchers and health professionals to learn to target PDE4 inhibitors to specific isoforms and limit the effects of the inhibition to the desired, positive effects, while avoiding inhibition of those isoforms whose inhibition causes the deleterious side effects noted above.

From the foregoing, it will be appreciated that it would be an advancement in the art to identify additional PDE4 enzyme isoforms. Such identification would enable investigation of the patterns of isoform tissue expression, and thus allow selective targeting of specific isoforms with isoform-specific inhibitors, yielding effective use of the beneficial effects of inhibition while avoiding the deleterious ones.

Such novel PDE4 enzyme isoforms are disclosed herein.

4. Brief Summary of the Invention:

The present invention relates to isoforms of cAMP-specific phosphodiesterase. Specifically, two rat cDNAs, pRPDE89 and pRPDE90, were isolated from a rat cerebral cortex cDNA library. Both of these were found to encode novel PDE4B isoforms. The invention thus comprises a first cDNA, pRPDE89, which encodes a protein identical in length to that encoded by the previously-described human PDE4B1 isoform known in the art. The protein encoded by both the rat and human genetic material is 736 amino acids in length. This rat cAMP-specific phosphodiesterase isoform is over 96% identical in sequence to the human PDE4B1 isoform.

The invention further comprises a second cDNA, pRPDE90, which encodes a

novel protein of 659 amino acids, called PDE4B4. PDE4B4 has a novel N-terminal region of 17 amino acids which is not present in any other known PDE4B isoform. The remaining 642 amino acids of PDE4B4 are identical to those found in corresponding regions of the PDE4B1 and PDE4B3 isoforms. Without being bound to any particular theory, it is believed that the structures of the cDNAs encoding the PDE4B1, PDE4B3, and PDE4B4 isoforms are generated by alternative mRNA splicing and through the use of alternative promoters of the *PDE4B* gene. RNase protection and immunoblotting demonstrated the presence of mRNA and protein specific for each of the PDE4B1, PDE4B2, PDE4B3 and PDE4B4 isoforms, respectively, in a wide range of tissues, including various regions of the brain.

Since various inhibitors of cAMP phosphodiesterases have been shown to have anti-depressant and memory enhancement effects, the discovery of novel isoforms of PDE4B opens possibilities of better understanding and targeting such inhibitors to have more selective effects on the brain.

These and other features of the present invention will become apparent upon reference to the accompanying figures and upon reading the following detailed description and appended claims.

5. Brief Description of the Drawings

A more particular description of the invention briefly described above will be rendered by reference to the appended figures. These figures only provide information concerning typical embodiments of the invention and are not therefore to be considered limiting of its scope.

Figure 1 shows the structure of mRNAs encoded by the rat *PDE4B* gene. The numbers 1-4 indicate transcripts represented by the following cDNAs: 1, PDE4B1 (pRPDE89 (SEQ ID NO: 5); GenBank™ AF202732); 2, PDE4B2 (pRPDE18 (SEQ ID NO: 8); GenBank™ L27058); 3, PDE4B3 (pRPDE74 (SEQ ID NO: 9); GenBank™ U95748); 4, PDE4B4 (pRPDE90 (SEQ ID NO: 1) and pRPDE92 (SEQ ID NO: 10); GenBank™ AF202733). The heavy bar indicates sequences homologous to other PDE4 isoforms, with the strongest regions of conservation (the catalytic region and UCR1 and UCR2) indicated by the cross-hatched areas. The thin, branched lines adjacent to the numbers indicate sequence regions unique to each isoform. The thin lines merge where

the sequences of the various isoforms join the shared sequence. Small boxes indicate start codons and the asterisk indicates the common stop codon.

Figure 2 shows an alignment of the amino acid sequences of human PDE4B1 (top, SEQ ID NO: 7) and rat PDE4B1 (bottom, SEQ ID NO: 6). The sequence of human
5 PDE4B1 has been described previously (pTM72 in Bolger, *Mol. Cell Biol.* 13:6558–71 (1993), GenBank™ L20966). The sequence of PDE4B1 was deduced from the pRPDE89 cDNA.

Figure 3 shows an alignment of the amino acid sequences of rat PDE4B1 (SEQ ID NO: 6), PDE4B2 (SEQ ID NO: 8), PDE4B3 (SEQ ID NO: 9), and PDE4B4 (SEQ ID NO:
10 2). The sequences are derived from the following cDNAs: PDE4B1 (pRPDE89 (SEQ ID NO: 5); GenBank™ AF202732); PDE4B2 (pRPDE18 (SEQ ID NO: 10); GenBank™ L27058); PDE4B3 (pRPDE74 (SEQ ID NO: 11); GenBank™ U95748); PDE4B4 (pRPDE90 and pRPDE92; GenBank™ AF202733).

Figure 4 shows the nucleotide sequence (SEQ ID NO: 1) encoding PDE4B4. The
15 sequences of two plasmids, pRPDE90 and pRPDE92, have been merged. On the merged sequence, pRPDE92 corresponds to nucleotides 1 to 1936, and pRPDE90 corresponds to nucleotides 253 to 2433. This sequence is available as GenBank™ AF202733.

Figure 5 shows the nucleotide sequence of pRPDE89 (SEQ ID NO: 5), which
20 encodes PDE4B1. This sequence is available as GenBank™ AF202732.

6. Detailed Description of the Invention

The present invention provides two novel cAMP-specific phosphodiesterase (PDE4B) isoform cDNAs. These cDNAs encode phosphodiesterases, which function in
25 the regulation of physiological processes by hydrolizing cAMP, an intracellular signaling molecule derived from ATP.

The first cAMP-specific phosphodiesterase isoform cDNA is pRPDE90, a phosphodiesterase isolated from a rat (*Rattus norvegicus*; Sprague-Dawley strain) cerebral cortex cDNA library cloned into the Eco RI site of Lambda ZAPII, which was
30 obtained from Stratagene. This cDNA encodes a novel PDE4B isoform named PDE4B4 by the inventors in accordance with convention.

PDE4B4 is a novel PDE4B isoform comprising 659 amino acids, 642 of which are shared with the other "long;" isoforms of PDE4B: PDE4B1 and PDE4B2. The remaining 17 amino acids are found at the extreme amino-terminal end of the protein.

5 The second cAMP-specific phosphodiesterase isoform cDNA of the instant invention is pRPDE89, a novel rat cDNA. pRPDE89 encodes a protein comprising 736 amino acids. This protein is identical in length and 96% identical in amino acids to the human PDE4B1 isoform (712 of 736 amino acids are identical). Without being bound to any particular theory, it appears that pRPDE89 encodes the rat counterpart of the human PDE4B1 isoform of PDE4B.

10 The present invention provides isolated and purified nucleic acid molecules comprising nucleotides that encode the amino acid sequences of SEQ ID NOS: 2, 4, and 6. In certain embodiments, these nucleic acid molecules comprise nucleotides 262 to 2238 of SEQ ID NO: 1, nucleotides 1 to 51 of SEQ ID NO: 3, and nucleotides 325 to 2532 of SEQ ID NO: 5, respectively. The present invention also provides nucleic acid
15 molecules that encode amino acid sequences that are greater than 90%, greater than 85%, greater than 80%, greater than 75%, and greater than 70% identical to SEQ ID NO: 4. The present invention also provides such nucleic acid molecules subcloned into plasmids; such nucleic acid molecules subcloned into prokaryotic or eukaryotic expression vectors; and such nucleic acid molecules stably or transiently incorporated into a prokaryotic or
20 eukaryotic host cell.

The present invention also provides isolated and purified proteins comprising the amino acid sequences of SEQ ID NOS: 2 and 6 and peptides comprising the amino acid sequence of SEQ ID NO: 4. The present invention further provides antibodies that specifically recognize peptides comprising the amino acid sequence of SEQ ID NO: 4.
25 Such antibodies may be polyclonal or monoclonal antibodies that are prepared according to methods that are well-known in the art. *See, e.g., Harlow & Lane, Antibodies: A Laboratory Manual* (1988).

Novel PDE4B isoforms such as those of the instant invention are of importance for several reasons. One reason is that the isoforms of the present invention are expressed
30 in brain—an important potential target of PDE4 inhibitors. Indeed, cDNAs encoding numerous PDE4 isoforms have previously been isolated from brain. *See e.g., Bolger et al., Mol. Cell Biol.* 13:6558–71 (1993), Huston et al., *Biochem J.* 328:549–56 (1997),

McLaughlin et al., *J. Biol. Chem.* 268:6470–76 (1993), Bolger et al., *Gene*. 149:237–44 (1993), Davis et al., *Proc. Natl. Acad. Sci. U.S.A.* 86:3604–08 (1989), Colicelli et al., *Proc. Natl. Acad. Sci. U.S.A.* 86:3599–3603 (1989), and Engels et al., *FEBS Lett.* 358:305–10 (1995). The brain is thus a target for many of the actions of selective PDE4 inhibitors. It is therefore important to determine exactly which PDE4 isoforms are present in the brain.

PDE4 inhibitors have several demonstrated effects in the human brain, several of which are beneficial, and others of which are harmful. Some of the potential beneficial effects of PDE4 inhibitors include a demonstrated anti-depressant action. Fleischhacker et al., *Neuropsychobiology*. 26:59–64 (1992), Eckmann et al., *Current Therapeutic Research*, 43:291–95 (1988). PDE4 inhibitors may also augment memory and other central nervous system functions. However, PDE4 inhibitors can cause nausea and trigger other gastrointestinal side effects. At least a portion of these deleterious side effects are likely mediated by the action of these drugs in the brain.

Discovery of additional isoforms of the PDE4B phosphodiesterases would open greater possibilities for developing inhibitors that could be specifically targeted at one or more isoforms. Such targeting would allow a more viable approach for utilizing the beneficial properties of these inhibitors in clinical treatment, while selectively avoiding negative side effects.

As a result, a search for novel PDE4 isoforms was initiated in rat brain. Two previously unknown PDE4 isoforms were subsequently isolated. While not being bound to any one particular theory, one of these appears to be the rat homolog of the human PDE4B1 isoform, which has been described previously in the art. Bolger et al., *Mol. Cell Biol.* 13:6558–71 (1993). The second novel isoform, called PDE4B4, has a unique 17 amino acid amino-terminal region which is not present in any other PDE4B isoform. It appears likely that PDE4B4 will be similar to other PDE4 isoforms in that it will be highly specific for cAMP and be inhibited by the prototypical PDE4 inhibitor rolipram.

It has previously been shown that the various PDE4 isoforms have different tissue expression patterns. Huston et al., *Biochem J.* 328:549–56 (1997). Indeed, it has even been shown that different isoforms encoded by the same gene may vary substantially in their tissue expression. (Bolger et al., *Mol. Cell Biol.* 13:6558–71 (1993), Bolger et al., *J. Biol. Chem.* 271:1065–71 (1996), and Bolger et al., *Gene*. 149:237–44 (1994). Studies are

in progress to determine the pattern of expression of the four known rat PDE4B isoforms, with special emphasis on their expression in various regions of the brain. Such discoveries and studies create the possibility of exploiting differences in the patterns of tissue expression of the various PDE4 isoforms to "target" the effects of PDE4 inhibitors to specific regions of the brain, thus maximizing their positive effects and minimizing or negating their negative effects.

One current explanation for the divergence of the PDE4B1, PDE4B3 and PDE4B4 mRNAs is alternative mRNA splicing. This has been documented as accounting for the existence of the PDE4A and PDE4D isoforms. Bolger et al., *J.Biol.Chem.* 271:1065–71 (1996), Bolger et al., *Biochem J.* 328:539–48 (1997), and Houslay et al., *Advances in Pharmacology* 44:225–342 (1998). Consistent with this explanation, it has been shown that the point of divergence between PDE4B1, PDE4B3 and PDE4B4 corresponds with the major point of alternative mRNA splicing in the *D. melanogaster dunce* gene transcripts. It also corresponds with the major point of alternative mRNA splicing in alternatively spliced mRNAs from the human *PDE4A* (Bolger et al., *Mol. Cell Biol.* 13:6558–71 (1993)), *PDE4B* (Huston et al., *Biochem J.* 328:549–56 (1997)) and *PDE4D* (Bolger et al., *Biochem J.* 328:539–48 (1997)) genes. It also corresponds to the 5' end of an exon in the human *PDE4A* (Sullivan et al., *Biochem J.* 333:693–703 (1998)) and murine *Pde4a* (Olsen & Bolger, *Mammalian Genome* 11:41–45 (2000)) genes.

In addition, since there is no common 5' region of sequence at the 5' ends of any of these cDNAs, it appears likely that each is generated from a different transcriptional start site. It has been previously demonstrated that several murine *Pde4a* transcripts, including PDE4A5, are generated in this manner (Olsen & Bolger, *Mammalian Genome* 11:41–45 (2000)).

All references, publications, patents, patent applications, and commercial materials cited in this application are hereby incorporated by reference in their entirety.

7. Examples:

The following example is given to illustrate an embodiment which has been made within the scope of the present invention. It is to be understood that the following example is neither comprehensive nor exhaustive of the many types of embodiments which can be prepared in accordance with the present invention.

Example 1—Two Novel PDE4B Isoforms

Experimental Techniques:

Materials: A rat (*Rattus norvegicus*; Sprague-Dawley strain) cerebral cortex cDNA library, cloned into the Eco RI site of Lambda ZAPII, was obtained from
5 Stratagene. All molecular biology, biochemistry and cell culture reagents were from New England Biolabs, Life Technologies or Roche Molecular Systems unless specified otherwise.

Isolation and Analysis of cDNA Clones: Procedures were as described by Sambrook *et al.* (Sambrook et al., *Molecular Cloning: A Laboratory Manual*, (1989))
10 unless otherwise specified. The cDNA library was screened with a probe corresponding to nucleotides 204 to 1299 of rat PDE4B3 (pRPDE74 (SEQ ID NO: 9) GenBank™ accession number U95748; (Huston et al., *Biochem J.* 328:549–56 (1997)). This region encodes the unique amino-terminal region of PDE4B3 as well as UCR1 and the majority of UCR2 (Fig. 1). Hybridization was performed with a final wash in 0.3 x SSC, 0.3%
15 SDS at 62°C. Sequencing was performed on both strands with an ABI Prism sequencer (Perkin-Elmer) according to the manufacturer's instructions. Alignments were generated with the Gap and Lineup programs of the Wisconsin Package of UNIX sequence software programs (Oxford Molecular Group).

Results:

20 To obtain cDNAs encoding PDE4B isoforms, a rat cortex cDNA library was screened with a probe corresponding to UCR1 and UCR2 of rat PDE4B3 (Huston et al., *Biochem. J.* 328:549–56 (1997)). This probe was designed to detect all "long" (i.e., UCR1-containing) PDE4B isoforms. cDNAs encoding two different PDE4B isoforms were detected in the screen (see Fig. 1). One cDNA clone, called pRPDE89 (SEQ ID
25 NO: 5), encoded a protein of 736 amino acids (SEQ ID NO: 6). This isoform was identical in length and had greater than 96% amino acid identity (712/736 amino acids identical, Fig. 2) with the human PDE4B1 isoform (SEQ ID NO: 7). Bolger et al., *Mol. Cell Biol.* 13:6558–71 (1993). It was therefore concluded that pRPDE89 encodes the rat PDE4B1 isoform.

30 Also detected in the screen was a cDNA clone, called pRPDE90 (SEQ ID NO: 1), which encoded the complete open reading frame of a novel PDE4B isoform. This new isoform was called PDE4B4, using the accepted nomenclature. Beavo, *Physiol. Rev.* 75:725–48 (1995). The PDE4B4 protein consists of 659 amino acids (SEQ ID NO: 2), 17

of which are located at the extreme amino-terminal end of the protein and show no detectable homology to any previously cloned PDE4B sequence (SEQ ID NOS: 3, 4). The remaining 642 amino acids are identical to the corresponding regions of the "long" PDE4B isoforms PDE4B1 and PDE4B3 (Fig. 3). The nucleotide sequences of the common regions of PDE4B1, PDE4B3 and PDE4B4 are also identical. The sequence of the novel region of PDE4B4 was confirmed by the sequence of another clone isolated in the screen, called pRPDE92 (SEQ ID NO: 10), which completely overlapped the novel region of pRPDE90 and contained sequence of an additional portion of the 5' untranslated region of the mRNA.

The invention may be embodied in other specific forms without departing from its essential characteristics. The described embodiments are to be considered in all respects only as illustrative and not restrictive. The scope of the invention is, therefore, indicated by the appended claims rather than by the foregoing description. All changes that come within the meaning and range of equivalency of the claims are to be embraced within their scope.

CLAIMS:

1. An isolated and purified nucleic acid molecule comprising nucleotides encoding the amino acid sequence of SEQ ID NO: 2.
2. The nucleic acid molecule of Claim 1, comprising nucleotides 262 to 2238 of SEQ ID NO: 1.
3. The nucleic acid molecule of Claim 1, wherein said nucleic acid molecule is subcloned into a plasmid.
4. The nucleic acid molecule of Claim 1, wherein said nucleic acid molecule is subcloned into a prokaryotic or eukaryotic expression vector.
5. The nucleic acid molecule of Claim 1, wherein said nucleic acid molecule is stably or transiently incorporated into a prokaryotic or eukaryotic host cell.
6. An isolated and purified protein comprising the amino acid sequence of SEQ ID NO: 2.
7. An isolated and purified nucleic acid molecule comprising nucleotides which code for the amino acid sequence of SEQ ID NO: 4.
8. The nucleic acid molecule of Claim 7, comprising the nucleotide sequence of SEQ ID NO: 3.
9. An isolated and purified nucleic acid molecule comprising a nucleotide sequence that encodes an amino acid sequence that is at least 90% identical to the amino acid sequence of SEQ ID NO: 4.
10. An isolated and purified nucleic acid molecule comprising a nucleotide sequence that encodes an amino acid sequence that is at least 75% identical to the amino acid sequence of SEQ ID NO: 4.
11. An isolated and purified peptide comprising the amino acid sequence of SEQ ID NO: 4.
12. An antibody that specifically recognizes the peptide of claim 11.
13. An isolated and purified nucleic acid molecule comprising nucleotides encoding the amino acid sequence of SEQ ID NO: 6.
14. The nucleic acid molecule of Claim 13, comprising nucleotide 325 to 2532 of SEQ ID NO: 5.
15. The nucleic acid molecule of Claim 13, wherein said nucleic acid molecule is subcloned into a plasmid.
16. The nucleic acid molecule of Claim 13, wherein said nucleic acid molecule is

subcloned into a prokaryotic or eukaryotic expression vector.

17. The nucleic acid molecule of Claim 14, wherein said nucleic acid molecule is stably or transiently incorporated into a prokaryotic or eukaryotic host cell.
18. An isolated and purified protein comprising the amino acid sequence of SEQ ID NO: 6.

5




Fig. 2 (two pages in length)

```

1 MKKRSRSMVTVMADDNVKDYFECSLSKSYSSSSNTLGIDLWRGRRCCSGNL 50
  ||||| | |||.||||| ||||| ||||| |||||
1 MKKRSRSMVAVTADDNLKDYFECSLSKSYSSSSYT LGIDLWRGRRCCSGNL 50
51 QLPPLSQRQSERARTPEGDGISRPTTLPLTTLP SIAITTVSQECFDVENG 100
  ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
51 QLPPLSQRQSERARTPEGDGISRPTTLPLTTLP SIAITTVSQECFDVENG 100
101 PSPGRSPLDPQASSSAGLVLHATFPGHSQRRESFLYRSDSDYDLSPKAMS 150
  ||||| |||||.||||| ||||| ||||| ||||| ||||| ||||| |||||
101 PSPGRSPLDPQASSSSGLVLHAAFPGHSQRRESFLYRSDSDYDLSPKAMS 150
151 RNSSLPSEQHGDDLIVTPFAQVLASLRSVRNNFTILT NLHGTSNKRSPAA 200
  ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
151 RNSSLPSEQHGDDLIVTPFAQVLASLRSVRNNFTLLTNLHGAPNKRSPAA 200
201 SQPPVSRVNPQEESYQKLAMETLEELDWCLDQLETIQTYSVSEMASNKF 250
  || |||.||. ||||| ||||| ||||| ||||| ||||| ||||| |||||
201 SQAPVTRVSLQEESYQKLAMETLEELDWCLDQLETIQTYSVSEMASNKF 250
251 KRMLNRELTHLSEMSRSGNQVSEYISNTFLDKQNDVEIPSP TQKDREKKK 300
  ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
251 KRMLNRELTHLSEMSRSGNQVSEYISNTFLDKQNDVEIPSP TQKDREKKK 300
301 KQQLMTQISGVKMLMHSSSLNNTSISRFGVNTENEDHLAKELEDLNKWGL 350
  ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
301 KQQLMTQISGVKMLMHSSSLNNTSISRFGVNTENEDHLAKELEDLNKWGL 350
351 NIFNVAGYSHNRPLTCIMYAIQERDLLKTFRISSDTFITYMMTLEDHYH 400
  ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
351 NIFNVAGYSHNRPLTCIMYAIQERDLLKTFKISSDTFVTYMMTLEDHYH 400
401 SDVAYHNSLHAADVAQSTHVLLSTPALDAVFTDLEILAAIFAAAIHDVDH 450
  ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
401 SDVAYHNSLHAADVAQSTHVLLSTPALDAVFTDLEILAAIFAAAIHDVDH 450
451 PGVSNQFLINTNSELALMYNDESVLENHHLAVGFKLLQEEHC DIFMNLTK 500
  ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
451 PGVSNQFLINTNSELALMYNDESVLENHHLAVGFKLLQEEHC DIFQNLTK 500
501 KQRQTLRKMVIDMVLATDMSKHMSLLADLKT MVETKKVTSSGVLLLDNYT 550
  ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
501 KQRQTLRKMVIDMVLATDMSKHMSLLADLKT MVETKKVTSSGVLLLDNYT 550
551 DRIQVLRNMVHCADLSNPTKSLELYRQWTD RIMEEFFQQGDKERERGMEI 600
  ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
551 DRIQVLRNMVHCADLSNPTKSLELYRQWTD RIMEEFFQQGDKERERGMEI 600

```

601 SPMCDKHTASVEKSQVGFIDYIVHPLWETWADLVQPD AQDILDTLEDNRN 650
|||||
601 SPMCDKHTASVEKSQVGFIDYIVHPLWETWADLVQPD AQDILDTLEDNRN 650
651 WYQSMIPQSPSPPLDEQNRDCQGLMEKFQFELTLDEEDSEGPEKEGEGHS 700
|||||...|||||:|||||
651 WYQSMIPQSPSPPLDERSRDCQGLMEKFQFELTLEEEDSEGPEKEGEGPN 700
701 YFSSTKTLCVIDPENRDSLGETDIDIATEDKSPVDT* 736
|||||:|||||
701 YFSSTKTLCVIDPENRDSLEETDIDIATEDKSLIDT* 736

Fig. 3 (two pages in length)

	1		50
PDE4B3MTAKN SSKELPASES EVCIKTFKEQ MRLELELPKL		
PDE4B1	MKKSRSVMV TADDNLKDYF ECSLSKSYSS SSYTLGIDLW RGRCCSGNL		
PDE4B4		
PDE4B2		
	51		100
PDE4B3	PGNRPTSPKI SPRSSPRNSP CFFRKLLVNK SIRQRRRFTV AHTCFDVENG		
PDE4B1	QLPPLSQRQS ERARTPEGDG ISRPTTLPLT TLPSIAITTV SQECFDVENG		
PDE4B4MLH VNDLPPRRH SWICFDVENG		
PDE4B2		
	101		150
PDE4B3	PSPGRSPLDP QASSSSGLVL HAAFPGHSQR RESFLYRSDS DYDLSPKAMS		
PDE4B1	PSPGRSPLDP QASSSSGLVL HAAFPGHSQR RESFLYRSDS DYDLSPKAMS		
PDE4B4	PSPGRSPLDP QASSSSGLVL HAAFPGHSQR RESFLYRSDS DYDLSPKAMS		
PDE4B2		
	151		200
PDE4B3	RNSSLPSEQH GDDLIVTPFA QVLASLRIVR NNFTLLTNLH GAPNKRSPAA		
PDE4B1	RNSSLPSEQH GDDLIVTPFA QVLASLRIVR NNFTLLTNLH GAPNKRSPAA		
PDE4B4	RNSSLPSEQH GDDLIVTPFA QVLASLRIVR NNFTLLTNLH GAPNKRSPAA		
PDE4B2MKEQGGTV SGAGSSRGGG DSAMASLQPL		
	201		250
PDE4B3	SQAPVTRVSL QEESYQKLAM ETLEELDWCL DQLETIQTYR SVSEMASNKF		
PDE4B1	SQAPVTRVSL QEESYQKLAM ETLEELDWCL DQLETIQTYR SVSEMASNKF		
PDE4B4	SQAPVTRVSL QEESYQKLAM ETLEELDWCL DQLETIQTYR SVSEMASNKF		
PDE4B2	QPNYLSVCLF AEESYQKLAM ETLEELDWCL DQLETIQTYR SVSEMASNKF		
	251		300
PDE4B3	KRMLNRELTH LSEMSRSGNQ VSEYISNTFL DKQNDVEIPS PTQKDREKKK		
PDE4B1	KRMLNRELTH LSEMSRSGNQ VSEYISNTFL DKQNDVEIPS PTQKDREKKK		
PDE4B4	KRMLNRELTH LSEMSRSGNQ VSEYISNTFL DKQNDVEIPS PTQKDREKKK		
PDE4B2	KRMLNRELTH LSEMSRSGNQ VSEYISNTFL DKQNDVEIPS PTQKDREKKK		
	301		350
PDE4B3	KQQLMTQISG VKKLMHSSSL NNTSISRFGV NTENEDHLAK ELEDLNKWGL		
PDE4B1	KQQLMTQISG VKKLMHSSSL NNTSISRFGV NTENEDHLAK ELEDLNKWGL		
PDE4B4	KQQLMTQISG VKKLMHSSSL NNTSISRFGV NTENEDHLAK ELEDLNKWGL		
PDE4B2	KQQLMTQISG VKKLMHSSSL NNTSISRFGV NTENEDHLAK ELEDLNKWGL		
	351		400
PDE4B3	NIFNVAGYSH NRPLTCIMYA IFQERDLLKT FKISSDTFVT YMTLEDHYH		
PDE4B1	NIFNVAGYSH NRPLTCIMYA IFQERDLLKT FKISSDTFVT YMTLEDHYH		
PDE4B4	NIFNVAGYSH NRPLTCIMYA IFQERDLLKT FKISSDTFVT YMTLEDHYH		
PDE4B2	NIFNVAGYSH NRPLTCIMYA IFQERDLLKT FKISSDTFVT YMTLEDHYH		
	401		450
PDE4B3	SDVAYHNSLH AADVAQSTHV LLSTPALDAV FTDLEILAAI FAAAINHVDH		
PDE4B1	SDVAYHNSLH AADVAQSTHV LLSTPALDAV FTDLEILAAI FAAAINHVDH		
PDE4B4	SDVAYHNSLH AADVAQSTHV LLSTPALDAV FTDLEILAAI FAAAINHVDH		
PDE4B2	SDVAYHNSLH AADVAQSTHV LLSTPAPDAV FTDLEILAAI FAAAINHVDH		
	451		500
PDE4B3	PGVSNQFLIN TNSALALMYN DESVLENHHL AVGFKLLQEE HCDIFQNLTK		
PDE4B1	PGVSNQFLIN TNSALALMYN DESVLENHHL AVGFKLLQEE HCDIFQNLTK		
PDE4B4	PGVSNQFLIN TNSALALMYN DESVLENHHL AVGFKLLQEE HCDIFQNLTK		
PDE4B2	PGVSNQFLIN TNSALALMYN DESVLENHHL AVGFKLLQEE HCDIFQNLTK		

	501		550
PDE4B3	KQRQTLRKVV	IDMVLATDMS	KHMSLLADLK TMVETKKVTS SGVLLLDNYT
PDE4B1	KQRQTLRKVV	IDMVLATDMS	KHMSLLADLK TMVETKKVTS SGVLLLDNYT
PDE4B4	KQRQTLRKVV	IDMVLATDMS	KHMSLLADLK TMVETKKVTS SGVLLLDNYT
PDE4B2	KQRQTLRKVV	IDMVLATDMS	KHMSLLADLK TMVETKKVTS SGVLLLDNYT
	551		600
PDE4B3	DRIQVLRNMV	HCADLSNPTK	SLELYRQWTD RIMEEFFQOG DKERERGMEI
PDE4B1	DRIQVLRNMV	HCADLSNPTK	SLELYRQWTD RIMEEFFQOG DKERERGMEI
PDE4B4	DRIQVLRNMV	HCADLSNPTK	SLELYRQWTD RIMEEFFQOG DKERERGMEI
PDE4B2	DRIQVLRNMV	HCADLSNPTK	SLELYRQWTD RIMEEFFQOG DKERERGMEI
	601		650
PDE4B3	SPMCDKHTAS	VEKSQVGFID	YIVHPLWETW ADLVQPDQD ILDTLEDNRN
PDE4B1	SPMCDKHTAS	VEKSQVGFID	YIVHPLWETW ADLVQPDQD ILDTLEDNRN
PDE4B4	SPMCDKHTAS	VEKSQVGFID	YIVHPLWETW ADLVQPDQD ILDTLEDNRN
PDE4B2	SPMCDKHTAS	VEKSQVGFID	YIVHPLWETW ADLVQPDQD ILDTLEDNRN
	651		700
PDE4B3	WYQSMIPQSP	SPPLDERSRD	CQGLMEKFQF ELTLEEEDSE GPEKEGEGPN
PDE4B1	WYQSMIPQSP	SPPLDERSRD	CQGLMEKFQF ELTLEEEDSE GPEKEGEGPN
PDE4B4	WYQSMIPQSP	SPPLDERSRD	CQGLMEKFQF ELTLEEEDSE GPEKEGEGPN
PDE4B2	WYQSMIPQSP	SPPLDERSRD	CQGLMEKFQF ELTLEEEDSE GPEKEGEGPN
	701		736
PDE4B3	YFSSTKTLCV	IDPENRDSLE	ETDIDIATED KSLIDT*
PDE4B1	YFSSTKTLCV	IDPENRDSLE	ETDIDIATED KSLIDT*
PDE4B4	YFSSTKTLCV	IDPENRDSLE	ETDIDIATED KSLIDT*
PDE4B2	YFSSTKTLCV	IDPENRDSLE	ETDIDIATED KSLIDT*

Fig. 4

GAATTCGGCAGCAGCAATTTCTCATCTGATTTCTAAAGGAAGCTACTTGCATGGTCTCTGCAACCTC
GTGTGTCGATTGCTAAGTCATTGCTACTCGCATTGGAATGATCTCTACCCCGCAATGGAGAGTGGCATGC
CATCAGAAAGAAAAACGAACGGACAAAGAGCTCAGTAGAACTCTGGCAGCGAGAACACAGAGAAACGCA
TGGAGATGAGCTAAGTCGCTGAGCGGTGGGCTGACAGTGTACCGGTTCAAGGATGTTGCACGTGAACGACT
TGCCTCCTCCCAGGCGACACTCGTGGATATGCTTTGATGTGGAAAATGGCCCTTCTCCAGGTGGAGCCC
ACTGGACCTCAAGCCAGCTCTTCTTCAGGACTGGTACTTCATGCCGCCTTCCCTGGGCACAGCCAAACGC
AGAGAGTCTTTTCTCTACAGATCCGACAGCGACTATGACTTGTCAACAAAAGCGATGTCAAGGAACCTCT
CACTTCCCAGCGAACAACACGGCGATGACCTGATTGTCACTCCTTTTGCCAGGTTCTTGCCAGCTTGCG
AAGCGTAAGAAACAATTTCAACCTGCTGACAAACCTTCACGGAGCACCGAACAAGAGGTGCGCCAGCGGCT
AGTCAGGCTCCAGTCACCAGAGTCAGCCTGCAAGAAGAATCATATCAGAAACTAGCAATGGAGACGCTGG
AGGAAGTAGACTGGTGCCTAGACCAGCTAGAGACCATCCAGACCTACCGCTCTGTGAGCGAGATGGCTTC
AAACAAGTTCAAAAGGATGCTGAACCGGGAGCTGACACACCTCTCAGAGATGAGCAGATCAGGGAACCAA
GTGTCTGAATACATTTTGAACACGTTCTTAGACAAGCAGAACGATGTGGAAATCCCATCTCCCACCCAGA
AGGACAGGGAGAAGAAGAAGAAGCAGCAGCTCATGACCCAGATAAGTGGAGTGAAGAACTGATGCACAG
CTCAAGCCTGAACAACACAAGCATCTCACGCTTTGGAGTCAACACGGAAAATGAGGATCATCTAGCCAAAG
GAGCTGGAAGACCTGAACAAATGGGGCTTAACATCTTCAACGTGGCTGGGTACTCCCATATCGGCCCC
TCACATGCATCATGTACGCCATTTTCCAGGAAAGAGACCTTCTAAAGACGTTTAAATCTCCTCCGACAC
CTTCGTAACCTACATGATGACTTTAGAAGACCATTACCATTTCTGATGTGGCGTATCACAACAGCCTGCAC
GCTGCTGACGTGGCCAGTCAACGCACGTTCTCCTCTCTACGCCAGCACTGGATGCTGTCTTCACAGACC
TGGAAATCCTGGCTGCCATTTTTCAGCTGCCATCCATGATGTTGATCATCCTGGAGTCTCCAATCAGTT
TCTCATCAATACAAATCCGAACCTTGCTTTGATGTATAATGACGAATCTGTGCTGGAAAACCATCACCTC
GCTGTGGGATTCAAGCTCCTTCAAGAGGAACATTGCGACATCTTTTCAAGATCTTACCAAGAAGCAACGCC
AGACACTCAGGAAAATGGTGATTGACATGGTGTAGCAACTGATATGTCCAAGCACATGAGCCTCCTGGC
TGACCTTAAACGATGGTAGAAACCAAAAGGTGACGAGCTCCGGTGTCTCCTCCTGGACAACCTATACT
GACCGGATACAGGTTCTTCGCAACATGGTACATTGTGCAGACCTGAGCAACCTACCAAGTCTTTGGAGT
TGTATCGGCAATGGACTGATCGCATCATGGAGGAGTTTTTCCAACAGGGAGACAAAGAACGGGAGAGGGG
AATGGAGATTAGCCCAATGTGTGATAAACACACAGCTTCTGTGGAAAAGTCCCAGGTTGGTTTTCATTGAC
TACATTGTCCATCCATTGTGGGAGACCTGGGCAGACCTGGTTCAGCCTGATGCTCAAGACATTTTGGACA
CACTAGAAGATAACAGGAAGTGGTACCAGAGTATGATTTCCCAAGAGCCCTCTCCACCACTGGACGAGAG
GAGCAGGGACTGCCAAGGCCTTATGGAGAAGTTTCAGTTTGAAGTACCCCTTGAAGAAGAGGATTCTGAA
GGACCGGAAAAGGAGGGAGAAGGCCCAACTATTTACGAGCACAAGACACTTTGTGTGATCGATCCAG
AGAACAGGGATTCTCTGGAAGAGACTGACATAGACATTGCCACAGAAGACAAGTCTCTGATCGACACATA
ATCTCCCTCTGTGTGGAGGTGAACATTCTATCCTTGACGAGCATGCCAGCTGAGTGGTAGGGCCCACCTA
CCAGAGCCAAGGCCTGCACAAAACAAAGGCCACCTGGCTTTGCAGTTACTTGAGTTTGGAGCCAGAATGC
AAGGCCGTGAAGCAATAGCAGTTCCGTGCTGCCTTGCCCTTGCCGGCGAGCTT1

Fig. 5

GAATTCGGGCACGAGGCGCGGGGGCGGGGGCGGCGTGTAGTGGCAGACGGCCGAGGGATTATGAATGGGG
GTGGGGGCGGCGAGTTGAGGTTCCACCGGGATCGTCCGACCGGCTGATGGGCACGCAGGGCTGCGTG
TAATCCTCCAGCCTCGGTGGAGGGAGGCTGCAGCGAGCGCGGCTGGCAGTAAGGGTTCTTCTGCAAAAG
TCCCCTGCGGTTGCGCGCGTGGAGTGCCGGGGAGCTCGGCCAGGTCTAGTCTGCAGTCAGCAAAGCTGCA
GCAAACAGCAGACATCTCCAGAGGAGCTGTTTGCCACATCTATAATGAAGAAAAGTAGGAGTGATGGC
CGTGA CTGCAGATGATAATCTTAAGGACTATTTTGAATGTAGCTTGAGTAAATCCTACAGTTCTTCCAGT
TATACCCTTGGGATTGACCTCTGGAGAGGCAGAAAGGTGCTGTTTCCAGGAACTTACAGTTGCCACCATTTGT
CCCAGAGACAAAGTGAAAGGGCAAGGACACCTGAGGGAGATGGCATTTCAGGCCAACCACGCTACCTTT
GACGACACTTCCCAGCATTGCTATAACAACCTGTAAAGCCAGGAGTGCTTTGATGTGGAAAATGGCCCTTCT
CCAGGTGGAGGCCACTGGACCTCAAGCCAGCTCTTCTTCCAGGACTGGTACTTTCATGCCGCTTCCCTG
GGCACAGCCAACGCAGAGAGTCTTTTCTCTACAGATCCGACAGCGACTATGACTTGTCAACAAAAGCGAT
GTCAAGGAACTCCTCACTTCCCAGCGAACAACACGGCGATGACCTGATTGTCACTCCTTTTGCCAGGTT
CTTGCCAGCTTGCGAAGCGTAAGAAAACAATTTACCCCTGCTGACAAACCTTCACGGAGCACCGAACAAGA
GGTCGCCAGCGGCTAGTCAGGCTCCAGTCACCAGAGTCAGCCTGCAAGAAGAATCATATCAGAACTAGC
AATGGAGACGCTGGAGGAACTAGACTGGTGCCTAGACCAGCTAGAGACCATCCAGACCTACCGCTCTGTC
AGCGAGATGGCTTCAAACAAGTTCAAAGGATGTGAACCGGGAGCTGACACACCTCTCAGAGATGAGCA
GATCAGGGAAACCAAGTGTCTGAATACATTTTGAACACGTTCTTAGACAAGCAGAACGATGTGGAAAATCCC
ATCTCCCACCCAGAAGGACAGGGAGAAGAAGAAGAGCAGCAGCTCATGACCCAGATAAGTGAGAGTGAAG
AAACTGATGCACAGCTCAAGCCTGAACAACACAAGCATCTCACGCTTTGGAGTCAACACGGAAAATGAGG
ATCATCTAGCCAAGGAGCTGGAAGACCTGAACAATGGGGCCTTAACATCTTCAACGTGGCTGGGTACTC
CCATAATCGGCCCCCTCACATGCATCATGTACGCCATTTTCCAGGAAAGAGACCTTCTAAAGACGTTTAAA
ATCTCCTCCGACACCTTCGTAACCTACATGATGACTTTAGAAGACCATTACCATTCTGATGTGGCGTATC
ACAACAGCCTGCACGCTGTGACGTGGCCAGTCAACGCACGTTCTCCTCTCTACGCCAGCACTGGATGC
TGCTTTCACAGACCTGGAAAATCCTGGCTGCCATTTTTCAGCTGCCATCCATGATGTTGATCATCTGGA
GTCTCCAATCAGTTTCTCATCAATACAAATTCGGAACCTTGCTTTGATGTATAATGACGAATCTGTGCTGG
AAAACCATCACCTCGCTGTGGGATTCAAGCTCCTTCAAGAGGAACATTGCGACATCTTTCAGAATCTTAC
CAAGAAGCAACGCCAGACACTCAGGAAAATGGTGATTGACATGGTGTAGCAACTGATATGTCCAAGCAC
ATGAGCCTCCTGGCTGACCTTAAAACGATGGTAGAAAACCAAAAAGGTGACGAGCTCCGGTGTTCTCCTCC
TGGACAACTATACTGACCGGATACAGGTTCTTCGCAACATGGTACATTGTGACAGACCTGAGCAACCTAC
CAAGTCTTGGAGTTGTATCGGCAATGGACTGATCGCATCATGGAGGAGTTTTTCCAACAGGGAGACAAA
GAACGGGAGAGGGGAATGGAGATTAGCCCAATGTGTGATAAACACACAGCTTCTGTGGAAAAGTCCCAGG
TTGGTTTTCACTGACTACATTGTCCATCCATTGTGGGAGACCTGGGCAGACCTGGTTTACGCTGATGCTCA
AGACATTTTGGACACACTAGAAGATAACAGGAACTGGTACCAGAGTATGATTCCCCAGAGCCCCCTCTCCA
CCACTGGACGAGAGGAGCAGGGACTGCCAAGGCCTTATGGAGAAGTTTCAGTTTCACTGACCTTGAAG
AAGAGGATTCTGAAGACCGGAAAAGGAGGGAGAAGGCCCCAACTATTTCAGCAGCACAAAGACACTTTG
TGTGATCGATCCAGAGAACAGGGATTCTCTGGAAGAGACTGACATAGACATTGCCACAGAAGACAAGTCT
CTGATCGACACATAATCTCCCTCTGTGTGGAGGTGAACATTCTATCCTTGACGAGCATGCCAGCTGAGTG
GTAGGGCCCACCTACCAGAGCCAAGGCCTGCACAAAACAAAGGCCACCTGGCCTTTGCAGTTACTTGAGT
TTGGAGCCAGAATGCAAGGCCGTGAAGCAAATAGCAGTTCCGTGCTGCCTTGCTTGGCCGCGAGCTTGG
CGGAGACCCGAGCTGTAGTAGAAGCCAGTTCCCAGCACAGCTAAATGGCTTGAAAACAGAGGACAGAAA
GCTGAGAGATTGCTCTGCAATAGGTGTTGAGGGGCTGTCCCGACAGGTGACTGAACTCACTAACAACCTT
ATCTATAAATCTCACCCATCCTGTTGTCTGCCAACCTGTGTGCCTTTTTTGTAAAATGTTTTCGTGTCTT
TGAAATGCCTGTTGAATATCTAGAGTTTAGTACCTCCTTCTACAACTTTTTTGAGTCTTTCTGGGAAAA
AAAAACCTGCAG

SEQUENCE LISTING

<110> Bolger, Graeme

<120> TWO NOVEL cAMP-SPECIFIC PHOSPHODIESTERASE (PDE4B) ISOFORMS AND RELATED TECHNOLOGY

<130> 1321.2.43

<150> 60/170,562

<151> 1999-12-14

<160> 11

<170> PatentIn version 3.0

<210> 1

<211> 2433

<212> DNA

<213> Rattus norvegicus

<220>

<221> CDS

<222> (262)..(2238)

<400> 1

```

gaattcggca cgagcaatct cctcatctga tttctaaagg aagctacttg cgatggtcct      60
ctgcaacctc gtgtgtcgat tgctaagtca ttgctactcg cattggaatg atctctaccc      120
cgcaatggag agtggcatgc catcagaaag aaaaacgaac ggacaaagag ctcaagtagaa      180
actctggcag cgagaacaca gagaaacgca tggagatgag ctaagtcgct gagcgggtggg      240
ctgacagtgt accgggttcag g atg ttg cac gtg aac gac ttg cct cct ccc      291
                        Met Leu His Val Asn Asp Leu Pro Pro Pro
                        1                      5                      10

agg cga cac tcg tgg ata tgc ttt gat gtg gaa aat ggc cct tct cca      339
Arg Arg His Ser Trp Ile Cys Phe Asp Val Glu Asn Gly Pro Ser Pro
                        15                      20                      25

ggt cgg agc cca ctg gac cct caa gcc agc tct tct tca gga ctg gta      387
Gly Arg Ser Pro Leu Asp Pro Gln Ala Ser Ser Ser Ser Gly Leu Val
                        30                      35                      40

ctt cat gcc gcc ttc cct ggg cac agc caa cgc aga gag tct ttt ctc      435
Leu His Ala Ala Phe Pro Gly His Ser Gln Arg Arg Glu Ser Phe Leu
                        45                      50                      55

tac aga tcc gac agc gac tat gac ttg tca cca aaa gcg atg tca agg      483
Tyr Arg Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ala Met Ser Arg
                        60                      65                      70

aac tcc tca ctt ccc agc gaa caa cac ggc gat gac ctg att gtc act      531
Asn Ser Ser Leu Pro Ser Glu Gln His Gly Asp Asp Leu Ile Val Thr
                        75                      80                      85                      90

cct ttt gcc cag gtt ctt gcc agc ttg cga agc gta aga aac aat ttc      579
Pro Phe Ala Gln Val Leu Ala Ser Leu Arg Ser Val Arg Asn Asn Phe
                        95                      100                      105

```

acc ctg ctg aca aac ctt cac gga gca ccg aac aag agg tcg cca gcg Thr Leu Leu Thr Asn Leu His Gly Ala Pro Asn Lys Arg Ser Pro Ala 110 115 120	627
gct agt cag gct cca gtc acc aga gtc agc ctg caa gaa gaa tca tat Ala Ser Gln Ala Pro Val Thr Arg Val Ser Leu Gln Glu Glu Ser Tyr 125 130 135	675
cag aaa cta gca atg gag acg ctg gag gaa cta gac tgg tgc cta gac Gln Lys Leu Ala Met Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu Asp 140 145 150	723
cag cta gag acc atc cag acc tac cgc tct gtc agc gag atg gct tca Gln Leu Glu Thr Ile Gln Thr Tyr Arg Ser Val Ser Glu Met Ala Ser 155 160 165 170	771
aac aag ttc aaa agg atg ctg aac cgg gag ctg aca cac ctc tca gag Asn Lys Phe Lys Arg Met Leu Asn Arg Glu Leu Thr His Leu Ser Glu 175 180 185	819
atg agc aga tca ggg aac caa gtg tct gaa tac att tcg aac acg ttc Met Ser Arg Ser Gly Asn Gln Val Ser Glu Tyr Ile Ser Asn Thr Phe 190 195 200	867
tta gac aag cag aac gat gtg gaa atc cca tct ccc acc cag aag gac Leu Asp Lys Gln Asn Asp Val Glu Ile Pro Ser Pro Thr Gln Lys Asp 205 210 215	915
agg gag aag aag aag aag cag cag ctc atg acc cag ata agt gga gtg Arg Glu Lys Lys Lys Lys Gln Gln Leu Met Thr Gln Ile Ser Gly Val 220 225 230	963
aag aaa ctg atg cac agc tca agc ctg aac aac aca agc atc tca cgc Lys Lys Leu Met His Ser Ser Ser Leu Asn Asn Thr Ser Ile Ser Arg 235 240 245 250	1011
ttt gga gtc aac acg gaa aat gag gat cat cta gcc aag gag ctg gaa Phe Gly Val Asn Thr Glu Asn Glu Asp His Leu Ala Lys Glu Leu Glu 255 260 265	1059
gac ctg aac aaa tgg ggc ctt aac atc ttc aac gtg gct ggg tac tcc Asp Leu Asn Lys Trp Gly Leu Asn Ile Phe Asn Val Ala Gly Tyr Ser 270 275 280	1107
cat aat cgg ccc ctc aca tgc atc atg tac gcc att ttc cag gaa aga His Asn Arg Pro Leu Thr Cys Ile Met Tyr Ala Ile Phe Gln Glu Arg 285 290 295	1155
gac ctt cta aag acg ttt aaa atc tcc tcc gac acc ttc gta acc tac Asp Leu Leu Lys Thr Phe Lys Ile Ser Ser Asp Thr Phe Val Thr Tyr 300 305 310	1203
atg atg act tta gaa gac cat tac cat tct gat gtg gcg tat cac aac Met Met Thr Leu Glu Asp His Tyr His Ser Asp Val Ala Tyr His Asn 315 320 325 330	1251
agc ctg cac gct gct gac gtg gcc cag tca acg cac gtt ctc ctc tct Ser Leu His Ala Ala Asp Val Ala Gln Ser Thr His Val Leu Leu Ser 335 340 345	1299

acg cca gca ctg gat gct gtc ttc aca gac ctg gaa atc ctg gct gcc Thr Pro Ala Leu Asp Ala Val Phe Thr Asp Leu Glu Ile Leu Ala Ala 350 355 360	1347
att ttt gca gct gcc atc cat gat gtt gat cat cct gga gtc tcc aat Ile Phe Ala Ala Ala Ile His Asp Val Asp His Pro Gly Val Ser Asn 365 370 375	1395
cag ttt ctc atc aat aca aat tcc gaa ctt gct ttg atg tat aat gac Gln Phe Leu Ile Asn Thr Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp 380 385 390	1443
gaa tct gtg ctg gaa aac cat cac ctc gct gtg gga ttc aag ctc ctt Glu Ser Val Leu Glu Asn His His Leu Ala Val Gly Phe Lys Leu Leu 395 400 405 410	1491
caa gag gaa cat tgc gac atc ttt cag aat ctt acc aag aag caa cgc Gln Glu Glu His Cys Asp Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg 415 420 425	1539
cag aca ctc agg aaa atg gtg att gac atg gtg tta gca act gat atg Gln Thr Leu Arg Lys Met Val Ile Asp Met Val Leu Ala Thr Asp Met 430 435 440	1587
tcc aag cac atg agc ctc ctg gct gac ctt aaa acg atg gta gaa acc Ser Lys His Met Ser Leu Leu Ala Asp Leu Lys Thr Met Val Glu Thr 445 450 455	1635
aaa aag gtg acg agc tcc ggt gtt ctc ctc ctg gac aac tat act gac Lys Lys Val Thr Ser Ser Gly Val Leu Leu Leu Asp Asn Tyr Thr Asp 460 465 470	1683
cgg ata cag gtt ctt cgc aac atg gta cat tgt gca gac ctg agc aac Arg Ile Gln Val Leu Arg Asn Met Val His Cys Ala Asp Leu Ser Asn 475 480 485 490	1731
cct acc aag tcc ttg gag ttg tat cgg caa tgg act gat cgc atc atg Pro Thr Lys Ser Leu Glu Leu Tyr Arg Gln Trp Thr Asp Arg Ile Met 495 500 505	1779
gag gag ttt ttc caa cag gga gac aaa gaa cgg gag agg gga atg gag Glu Glu Phe Phe Gln Gln Gly Asp Lys Glu Arg Glu Arg Gly Met Glu 510 515 520	1827
att agc cca atg tgt gat aaa cac aca gct tct gtg gaa aag tcc cag Ile Ser Pro Met Cys Asp Lys His Thr Ala Ser Val Glu Lys Ser Gln 525 530 535	1875
gtt ggt ttc att gac tac att gtc cat cca ttg tgg gag acc tgg gca Val Gly Phe Ile Asp Tyr Ile Val His Pro Leu Trp Glu Thr Trp Ala 540 545 550	1923
gac ctg gtt cag cct gat gct caa gac att ttg gac aca cta gaa gat Asp Leu Val Gln Pro Asp Ala Gln Asp Ile Leu Asp Thr Leu Glu Asp 555 560 565 570	1971
aac agg aac tgg tac cag agt atg att ccc cag agc ccc tct cca cca Asn Arg Asn Trp Tyr Gln Ser Met Ile Pro Gln Ser Pro Ser Pro Pro 575 580 585	2019
ctg gac gag agg agc agg gac tgc caa ggc ctt atg gag aag ttt cag	2067

Leu Asp Glu Arg Ser Arg Asp Cys Gln Gly Leu Met Glu Lys Phe Gln
 590 595 600
 ttc gaa ctg acc ctt gaa gaa gag gat tct gaa gga ccg gaa aag gag 2115
 Phe Glu Leu Thr Leu Glu Glu Glu Asp Ser Glu Gly Pro Glu Lys Glu
 605 610 615
 gga gaa ggc ccc aac tat ttc agc agc aca aag aca ctt tgt gtg atc 2163
 Gly Glu Gly Pro Asn Tyr Phe Ser Ser Thr Lys Thr Leu Cys Val Ile
 620 625 630
 gat cca gag aac agg gat tct ctg gaa gag act gac ata gac att gcc 2211
 Asp Pro Glu Asn Arg Asp Ser Leu Glu Glu Thr Asp Ile Asp Ile Ala
 635 640 645 650
 aca gaa gac aag tct ctg atc gac aca taatctccct ctgtgtggag 2258
 Thr Glu Asp Lys Ser Leu Ile Asp Thr
 655
 gtgaacattc tacccttgac gagcatgccca gctgagtggg agggcccacc taccagagcc 2318
 aaggcctgca caaaacaaag gccacctggc tttgcagtta cttgagtttg gagccagaat 2378
 gcaaggccgt gaagcaaata gcagttccgt gctgccttgc cttgccggcg agctt 2433

 <210> 2
 <211> 659
 <212> PRT
 <213> Rattus norvegicus

 <400> 2

 Met Leu His Val Asn Asp Leu Pro Pro Pro Arg Arg His Ser Trp Ile
 1 5 10 15

 Cys Phe Asp Val Glu Asn Gly Pro Ser Pro Gly Arg Ser Pro Leu Asp
 20 25 30

 Pro Gln Ala Ser Ser Ser Ser Gly Leu Val Leu His Ala Ala Phe Pro
 35 40 45

 Gly His Ser Gln Arg Arg Glu Ser Phe Leu Tyr Arg Ser Asp Ser Asp
 50 55 60

 Tyr Asp Leu Ser Pro Lys Ala Met Ser Arg Asn Ser Ser Leu Pro Ser
 65 70 75 80

 Glu Gln His Gly Asp Asp Leu Ile Val Thr Pro Phe Ala Gln Val Leu
 85 90 95

 Ala Ser Leu Arg Ser Val Arg Asn Asn Phe Thr Leu Leu Thr Asn Leu
 100 105 110

His Gly Ala Pro Asn Lys Arg Ser Pro Ala Ala Ser Gln Ala Pro Val
 115 120 125

Thr Arg Val Ser Leu Gln Glu Glu Ser Tyr Gln Lys Leu Ala Met Glu
 130 135 140

Thr Leu Glu Glu Leu Asp Trp Cys Leu Asp Gln Leu Glu Thr Ile Gln
 145 150 155 160

Thr Tyr Arg Ser Val Ser Glu Met Ala Ser Asn Lys Phe Lys Arg Met
 165 170 175

Leu Asn Arg Glu Leu Thr His Leu Ser Glu Met Ser Arg Ser Gly Asn
 180 185 190

Gln Val Ser Glu Tyr Ile Ser Asn Thr Phe Leu Asp Lys Gln Asn Asp
 195 200 205

Val Glu Ile Pro Ser Pro Thr Gln Lys Asp Arg Glu Lys Lys Lys Lys
 210 215 220

Gln Gln Leu Met Thr Gln Ile Ser Gly Val Lys Lys Leu Met His Ser
 225 230 235 240

Ser Ser Leu Asn Asn Thr Ser Ile Ser Arg Phe Gly Val Asn Thr Glu
 245 250 255

Asn Glu Asp His Leu Ala Lys Glu Leu Glu Asp Leu Asn Lys Trp Gly
 260 265 270

Leu Asn Ile Phe Asn Val Ala Gly Tyr Ser His Asn Arg Pro Leu Thr
 275 280 285

Cys Ile Met Tyr Ala Ile Phe Gln Glu Arg Asp Leu Leu Lys Thr Phe
 290 295 300

Lys Ile Ser Ser Asp Thr Phe Val Thr Tyr Met Met Thr Leu Glu Asp
 305 310 315 320

His Tyr His Ser Asp Val Ala Tyr His Asn Ser Leu His Ala Ala Asp
 325 330 335

Val Ala Gln Ser Thr His Val Leu Leu Ser Thr Pro Ala Leu Asp Ala
 340 345 350

Val Phe Thr Asp Leu Glu Ile Leu Ala Ala Ile Phe Ala Ala Ala Ile

355

360

365

His Asp Val Asp His Pro Gly Val Ser Asn Gln Phe Leu Ile Asn Thr
 370 375 380

Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp Glu Ser Val Leu Glu Asn
 385 390 395 400

His His Leu Ala Val Gly Phe Lys Leu Leu Gln Glu Glu His Cys Asp
 405 410 415

Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg Gln Thr Leu Arg Lys Met
 420 425 430

Val Ile Asp Met Val Leu Ala Thr Asp Met Ser Lys His Met Ser Leu
 435 440 445

Leu Ala Asp Leu Lys Thr Met Val Glu Thr Lys Lys Val Thr Ser Ser
 450 455 460

Gly Val Leu Leu Leu Asp Asn Tyr Thr Asp Arg Ile Gln Val Leu Arg
 465 470 475 480

Asn Met Val His Cys Ala Asp Leu Ser Asn Pro Thr Lys Ser Leu Glu
 485 490 495

Leu Tyr Arg Gln Trp Thr Asp Arg Ile Met Glu Glu Phe Phe Gln Gln
 500 505 510

Gly Asp Lys Glu Arg Glu Arg Gly Met Glu Ile Ser Pro Met Cys Asp
 515 520 525

Lys His Thr Ala Ser Val Glu Lys Ser Gln Val Gly Phe Ile Asp Tyr
 530 535 540

Ile Val His Pro Leu Trp Glu Thr Trp Ala Asp Leu Val Gln Pro Asp
 545 550 555 560

Ala Gln Asp Ile Leu Asp Thr Leu Glu Asp Asn Arg Asn Trp Tyr Gln
 565 570 575

Ser Met Ile Pro Gln Ser Pro Ser Pro Pro Leu Asp Glu Arg Ser Arg
 580 585 590

Asp Cys Gln Gly Leu Met Glu Lys Phe Gln Phe Glu Leu Thr Leu Glu
 595 600 605

Glu Glu Asp Ser Glu Gly Pro Glu Lys Glu Gly Glu Gly Pro Asn Tyr
 610 615 620

Phe Ser Ser Thr Lys Thr Leu Cys Val Ile Asp Pro Glu Asn Arg Asp
 625 630 635 640

Ser Leu Glu Glu Thr Asp Ile Asp Ile Ala Thr Glu Asp Lys Ser Leu
 645 650 655

Ile Asp Thr

<210> 3
 <211> 51
 <212> DNA
 <213> Rattus norvegicus

<220>
 <221> CDS
 <222> (1)..(51)

<400> 3
 atg ttg cac gtg aac gac ttg cct cct ccc agg cga cac tcg tgg ata 48
 Met Leu His Val Asn Asp Leu Pro Pro Pro Arg Arg His Ser Trp Ile
 1 5 10 15
 tgc
 Cys 51

<210> 4
 <211> 17
 <212> PRT
 <213> Rattus norvegicus

<400> 4

Met Leu His Val Asn Asp Leu Pro Pro Pro Arg Arg His Ser Trp Ile
 1 5 10 15

Cys

<210> 5
 <211> 3022
 <212> DNA
 <213> Rattus norvegicus

<220>
 <221> CDS
 <222> (325)..(2532)

<400> 5
gaattcggca cgagggcgcg gggcgggggc ggcgtgtagt ggcagacggc cgcagggatt 60
atgaatgggg gtggggggccg gcgagttgag gttccacccg ggatcgtccg caccggctga 120
tgggcacgca gggctgctg taatcctcca gcctcggctg agggaggctg cagcgagcgc 180
cggctggcag taaggggttct tctgcaaaag tcccctgcgg ttgcgcgcgt ggagtgccgg 240
ggagctcggc caggtctagt ctgcagtcag caaagctgca gcaaacagca gacatctcca 300
gaggagctgt ttgccacatc tata atg aag aaa agt agg agt gtg atg gcc 351
Met Lys Lys Ser Arg Ser Val Met Ala
1 5
gtg act gca gat gat aat ctt aag gac tat ttt gaa tgt agc ttg agt 399
Val Thr Ala Asp Asp Asn Leu Lys Asp Tyr Phe Glu Cys Ser Leu Ser
10 15 20 25
aaa tcc tac agt tct tcc agt tat acc ctt ggg att gac ctc tgg aga 447
Lys Ser Tyr Ser Ser Ser Ser Tyr Thr Leu Gly Ile Asp Leu Trp Arg
30 35 40
ggc aga agg tgc tgt tca gga aac tta cag ttg cca cca ttg tcc cag 495
Gly Arg Arg Cys Cys Ser Gly Asn Leu Gln Leu Pro Pro Leu Ser Gln
45 50 55
aga caa agt gaa agg gca agg aca cct gag gga gat ggc att tcc agg 543
Arg Gln Ser Glu Arg Ala Arg Thr Pro Glu Gly Asp Gly Ile Ser Arg
60 65 70
cca acc acg cta cct ttg acg aca ctt ccc agc att gct ata aca act 591
Pro Thr Thr Leu Pro Leu Thr Thr Leu Pro Ser Ile Ala Ile Thr Thr
75 80 85
gta agc cag gag tgc ttt gat gtg gaa aat ggc cct tct cca ggt cgg 639
Val Ser Gln Glu Cys Phe Asp Val Glu Asn Gly Pro Ser Pro Gly Arg
90 95 100 105
agc cca ctg gac cct caa gcc agc tct tct tca gga ctg gta ctt cat 687
Ser Pro Leu Asp Pro Gln Ala Ser Ser Ser Ser Gly Leu Val Leu His
110 115 120
gcc gcc ttc cct ggg cac agc caa cgc aga gag tct ttt ctc tac aga 735
Ala Ala Phe Pro Gly His Ser Gln Arg Arg Glu Ser Phe Leu Tyr Arg
125 130 135
tcc gac agc gac tat gac ttg tca cca aaa gcg atg tca agg aac tcc 783
Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ala Met Ser Arg Asn Ser
140 145 150
tca ctt ccc agc gaa caa cac ggc gat gac ctg att gtc act cct ttt 831
Ser Leu Pro Ser Glu Gln His Gly Asp Asp Leu Ile Val Thr Pro Phe
155 160 165
gcc cag gtt ctt gcc agc ttg cga agc gta aga aac aat ttc acc ctg 879
Ala Gln Val Leu Ala Ser Leu Arg Ser Val Arg Asn Asn Phe Thr Leu
170 175 180 185
ctg aca aac ctt cac gga gca ccg aac aag agg tcg cca gcg gct agt 927
Leu Thr Asn Leu His Gly Ala Pro Asn Lys Arg Ser Pro Ala Ala Ser

190	195	200	
cag gct cca gtc acc aga gtc agc ctg caa gaa gaa tca tat cag aaa Gln Ala Pro Val Thr Arg Val Ser Leu Gln Glu Glu Ser Tyr Gln Lys 205 210 215			975
cta gca atg gag acg ctg gag gaa cta gac tgg tgc cta gac cag cta Leu Ala Met Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu Asp Gln Leu 220 225 230			1023
gag acc atc cag acc tac cgc tct gtc agc gag atg gct tca aac aag Glu Thr Ile Gln Thr Tyr Arg Ser Val Ser Glu Met Ala Ser Asn Lys 235 240 245			1071
ttc aaa agg atg ctg aac cgg gag ctg aca cac ctc tca gag atg agc Phe Lys Arg Met Leu Asn Arg Glu Leu Thr His Leu Ser Glu Met Ser 250 255 260 265			1119
aga tca ggg aac caa gtg tct gaa tac att tcg aac acg ttc tta gac Arg Ser Gly Asn Gln Val Ser Glu Tyr Ile Ser Asn Thr Phe Leu Asp 270 275 280			1167
aag cag aac gat gtg gaa atc cca tct ccc acc cag aag gac agg gag Lys Gln Asn Asp Val Glu Ile Pro Ser Pro Thr Gln Lys Asp Arg Glu 285 290 295			1215
aag aag aag aag cag cag ctc atg acc cag ata agt gga gtg aag aaa Lys Lys Lys Lys Gln Gln Leu Met Thr Gln Ile Ser Gly Val Lys Lys 300 305 310			1263
ctg atg cac agc tca agc ctg aac aac aca agc atc tca cgc ttt gga Leu Met His Ser Ser Ser Leu Asn Asn Thr Ser Ile Ser Arg Phe Gly 315 320 325			1311
gtc aac acg gaa aat gag gat cat cta gcc aag gag ctg gaa gac ctg Val Asn Thr Glu Asn Glu Asp His Leu Ala Lys Glu Leu Glu Asp Leu 330 335 340 345			1359
aac aaa tgg ggc ctt aac atc ttc aac gtg gct ggg tac tcc cat aat Asn Lys Trp Gly Leu Asn Ile Phe Asn Val Ala Gly Tyr Ser His Asn 350 355 360			1407
cgg ccc ctc aca tgc atc atg tac gcc att ttc cag gaa aga gac ctt Arg Pro Leu Thr Cys Ile Met Tyr Ala Ile Phe Gln Glu Arg Asp Leu 365 370 375			1455
cta aag acg ttt aaa atc tcc tcc gac acc ttc gta acc tac atg atg Leu Lys Thr Phe Lys Ile Ser Ser Asp Thr Phe Val Thr Tyr Met Met 380 385 390			1503
act tta gaa gac cat tac cat tct gat gtg gcg tat cac aac agc ctg Thr Leu Glu Asp His Tyr His Ser Asp Val Ala Tyr His Asn Ser Leu 395 400 405			1551
cac gct gct gac gtg gcc cag tca acg cac gtt ctc ctc tct acg cca His Ala Ala Asp Val Ala Gln Ser Thr His Val Leu Leu Ser Thr Pro 410 415 420 425			1599
gca ctg gat gct gtc ttc aca gac ctg gaa atc ctg gct gcc att ttt Ala Leu Asp Ala Val Phe Thr Asp Leu Glu Ile Leu Ala Ala Ile Phe 430 435 440			1647

gca gct gcc atc cat gat gtt gat cat cct gga gtc tcc aat cag ttt Ala Ala Ala Ile His Asp Val Asp His Pro Gly Val Ser Asn Gln Phe 445 450 455	1695
ctc atc aat aca aat tcc gaa ctt gct ttg atg tat aat gac gaa tct Leu Ile Asn Thr Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp Glu Ser 460 465 470	1743
gtg ctg gaa aac cat cac ctc gct gtg gga ttc aag ctc ctt caa gag Val Leu Glu Asn His His Leu Ala Val Gly Phe Lys Leu Leu Gln Glu 475 480 485	1791
gaa cat tgc gac atc ttt cag aat ctt acc aag aag caa cgc cag aca Glu His Cys Asp Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg Gln Thr 490 495 500 505	1839
ctc agg aaa atg gtg att gac atg gtg tta gca act gat atg tcc aag Leu Arg Lys Met Val Ile Asp Met Val Leu Ala Thr Asp Met Ser Lys 510 515 520	1887
cac atg agc ctc ctg gct gac ctt aaa acg atg gta gaa acc aaa aag His Met Ser Leu Leu Ala Asp Leu Lys Thr Met Val Glu Thr Lys Lys 525 530 535	1935
gtg acg agc tcc ggt gtt ctc ctc ctg gac aac tat act gac cgg ata Val Thr Ser Ser Gly Val Leu Leu Leu Asp Asn Tyr Thr Asp Arg Ile 540 545 550	1983
cag gtt ctt cgc aac atg gta cat tgt gca gac ctg agc aac cct acc Gln Val Leu Arg Asn Met Val His Cys Ala Asp Leu Ser Asn Pro Thr 555 560 565	2031
aag tcc ttg gag ttg tat cgg caa tgg act gat cgc atc atg gag gag Lys Ser Leu Glu Leu Tyr Arg Gln Trp Thr Asp Arg Ile Met Glu Glu 570 575 580 585	2079
ttt ttc caa cag gga gac aaa gaa cgg gag agg gga atg gag att agc Phe Phe Gln Gln Gly Asp Lys Glu Arg Glu Arg Gly Met Glu Ile Ser 590 595 600	2127
cca atg tgt gat aaa cac aca gct tct gtg gaa aag tcc cag gtt ggt Pro Met Cys Asp Lys His Thr Ala Ser Val Glu Lys Ser Gln Val Gly 605 610 615	2175
ttc att gac tac att gtc cat cca ttg tgg gag acc tgg gca gac ctg Phe Ile Asp Tyr Ile Val His Pro Leu Trp Glu Thr Trp Ala Asp Leu 620 625 630	2223
gtt cag cct gat gct caa gac att ttg gac aca cta gaa gat aac agg Val Gln Pro Asp Ala Gln Asp Ile Leu Asp Thr Leu Glu Asp Asn Arg 635 640 645	2271
aac tgg tac cag agt atg att ccc cag agc ccc tct cca cca ctg gac Asn Trp Tyr Gln Ser Met Ile Pro Gln Ser Pro Ser Pro Pro Leu Asp 650 655 660 665	2319
gag agg agc agg gac tgc caa ggc ctt atg gag aag ttt cag ttc gaa Glu Arg Ser Arg Asp Cys Gln Gly Leu Met Glu Lys Phe Gln Phe Glu 670 675 680	2367

ctg acc ctt gaa gaa gag gat tct gaa gga ccg gaa aag gag gga gaa 2415
 Leu Thr Leu Glu Glu Asp Ser Glu Gly Pro Glu Lys Glu Gly Glu
 685 690 695

ggc ccc aac tat ttc agc agc aca aag aca ctt tgt gtg atc gat cca 2463
 Gly Pro Asn Tyr Phe Ser Ser Thr Lys Thr Leu Cys Val Ile Asp Pro
 700 705 710

gag aac agg gat tct ctg gaa gag act gac ata gac att gcc aca gaa 2511
 Glu Asn Arg Asp Ser Leu Glu Glu Thr Asp Ile Asp Ile Ala Thr Glu
 715 720 725

gac aag tct ctg atc gac aca taatctccct ctgtgtggag gtgaacattc 2562
 Asp Lys Ser Leu Ile Asp Thr
 730 735

tatecttgac gagcatgcca gctgagtggg agggcccacc taccagagcc aaggcctgca 2622

caaaacaaag gccacctggc ctttgagttt acttgagttt ggagccagaa tgcaaggccg 2682

tgaagcaa at agcagttccg tgctgccttg ccttgccggc gagcttgccg gagaccgca 2742

gctgtagtag aagccagttc ccagcacagc taaatggcctt gaaaacagag gacagaaagc 2802

tgagagattg ctctgcaata ggtgttgagg ggctgtcccg acaggtgact gaactcacta 2862

acaacttcat ctataaatct caccatcct gttgtctgcc aacctgtgtg ccttttttgt 2922

aaaatgtttt cgtgtctttg aaatgcctgt tgaatatcta gagtttagta cctccttcta 2982

caaacttttt tgagtctttc tgggaaaaaa aaacctgcag 3022

<210> 6
 <211> 736
 <212> PRT
 <213> Rattus norvegicus

<400> 6

Met Lys Lys Ser Arg Ser Val Met Ala Val Thr Ala Asp Asp Asn Leu
 1 5 10 15

Lys Asp Tyr Phe Glu Cys Ser Leu Ser Lys Ser Tyr Ser Ser Ser Ser
 20 25 30

Tyr Thr Leu Gly Ile Asp Leu Trp Arg Gly Arg Arg Cys Cys Ser Gly
 35 40 45

Asn Leu Gln Leu Pro Pro Leu Ser Gln Arg Gln Ser Glu Arg Ala Arg
 50 55 60

Thr Pro Glu Gly Asp Gly Ile Ser Arg Pro Thr Thr Leu Pro Leu Thr
 65 70 75 80

Thr Leu Pro Ser Ile Ala Ile Thr Thr Val Ser Gln Glu Cys Phe Asp

85	90	95
Val Glu Asn Gly Pro Ser Pro Gly Arg Ser Pro Leu Asp Pro Gln Ala		
100	105	110
Ser Ser Ser Ser Gly Leu Val Leu His Ala Ala Phe Pro Gly His Ser		
115	120	125
Gln Arg Arg Glu Ser Phe Leu Tyr Arg Ser Asp Ser Asp Tyr Asp Leu		
130	135	140
Ser Pro Lys Ala Met Ser Arg Asn Ser Ser Leu Pro Ser Glu Gln His		
145	150	155
		160
Gly Asp Asp Leu Ile Val Thr Pro Phe Ala Gln Val Leu Ala Ser Leu		
165	170	175
Arg Ser Val Arg Asn Asn Phe Thr Leu Leu Thr Asn Leu His Gly Ala		
180	185	190
Pro Asn Lys Arg Ser Pro Ala Ala Ser Gln Ala Pro Val Thr Arg Val		
195	200	205
Ser Leu Gln Glu Glu Ser Tyr Gln Lys Leu Ala Met Glu Thr Leu Glu		
210	215	220
Glu Leu Asp Trp Cys Leu Asp Gln Leu Glu Thr Ile Gln Thr Tyr Arg		
225	230	235
		240
Ser Val Ser Glu Met Ala Ser Asn Lys Phe Lys Arg Met Leu Asn Arg		
245	250	255
Glu Leu Thr His Leu Ser Glu Met Ser Arg Ser Gly Asn Gln Val Ser		
260	265	270
Glu Tyr Ile Ser Asn Thr Phe Leu Asp Lys Gln Asn Asp Val Glu Ile		
275	280	285
Pro Ser Pro Thr Gln Lys Asp Arg Glu Lys Lys Lys Lys Gln Gln Leu		
290	295	300
Met Thr Gln Ile Ser Gly Val Lys Lys Leu Met His Ser Ser Ser Leu		
305	310	315
		320
Asn Asn Thr Ser Ile Ser Arg Phe Gly Val Asn Thr Glu Asn Glu Asp		
325	330	335

His Leu Ala Lys Glu Leu Glu Asp Leu Asn Lys Trp Gly Leu Asn Ile
 340 345 350

Phe Asn Val Ala Gly Tyr Ser His Asn Arg Pro Leu Thr Cys Ile Met
 355 360 365

Tyr Ala Ile Phe Gln Glu Arg Asp Leu Leu Lys Thr Phe Lys Ile Ser
 370 375 380

Ser Asp Thr Phe Val Thr Tyr Met Met Thr Leu Glu Asp His Tyr His
 385 390 395 400

Ser Asp Val Ala Tyr His Asn Ser Leu His Ala Ala Asp Val Ala Gln
 405 410 415

Ser Thr His Val Leu Leu Ser Thr Pro Ala Leu Asp Ala Val Phe Thr
 420 425 430

Asp Leu Glu Ile Leu Ala Ala Ile Phe Ala Ala Ala Ile His Asp Val
 435 440 445

Asp His Pro Gly Val Ser Asn Gln Phe Leu Ile Asn Thr Asn Ser Glu
 450 455 460

Leu Ala Leu Met Tyr Asn Asp Glu Ser Val Leu Glu Asn His His Leu
 465 470 475 480

Ala Val Gly Phe Lys Leu Leu Gln Glu Glu His Cys Asp Ile Phe Gln
 485 490 495

Asn Leu Thr Lys Lys Gln Arg Gln Thr Leu Arg Lys Met Val Ile Asp
 500 505 510

Met Val Leu Ala Thr Asp Met Ser Lys His Met Ser Leu Leu Ala Asp
 515 520 525

Leu Lys Thr Met Val Glu Thr Lys Lys Val Thr Ser Ser Gly Val Leu
 530 535 540

Leu Leu Asp Asn Tyr Thr Asp Arg Ile Gln Val Leu Arg Asn Met Val
 545 550 555 560

His Cys Ala Asp Leu Ser Asn Pro Thr Lys Ser Leu Glu Leu Tyr Arg
 565 570 575

Gln Trp Thr Asp Arg Ile Met Glu Glu Phe Phe Gln Gln Gly Asp Lys
 580 585 590

Glu Arg Glu Arg Gly Met Glu Ile Ser Pro Met Cys Asp Lys His Thr
 595 600 605

Ala Ser Val Glu Lys Ser Gln Val Gly Phe Ile Asp Tyr Ile Val His
 610 615 620

Pro Leu Trp Glu Thr Trp Ala Asp Leu Val Gln Pro Asp Ala Gln Asp
 625 630 635 640

Ile Leu Asp Thr Leu Glu Asp Asn Arg Asn Trp Tyr Gln Ser Met Ile
 645 650 655

Pro Gln Ser Pro Ser Pro Pro Leu Asp Glu Arg Ser Arg Asp Cys Gln
 660 665 670

Gly Leu Met Glu Lys Phe Gln Phe Glu Leu Thr Leu Glu Glu Glu Asp
 675 680 685

Ser Glu Gly Pro Glu Lys Glu Gly Glu Gly Pro Asn Tyr Phe Ser Ser
 690 695 700

Thr Lys Thr Leu Cys Val Ile Asp Pro Glu Asn Arg Asp Ser Leu Glu
 705 710 715 720

Glu Thr Asp Ile Asp Ile Ala Thr Glu Asp Lys Ser Leu Ile Asp Thr
 725 730 735

<210> 7

<211> 736

<212> PRT

<213> Homo sapiens

<400> 7

Met Lys Lys Ser Arg Ser Val Met Thr Val Met Ala Asp Asp Asn Val
 1 5 10 15

Lys Asp Tyr Phe Glu Cys Ser Leu Ser Lys Ser Tyr Ser Ser Ser Ser
 20 25 30

Asn Thr Leu Gly Ile Asp Leu Trp Arg Gly Arg Arg Cys Cys Ser Gly
 35 40 45

Asn Leu Gln Leu Pro Pro Leu Ser Gln Arg Gln Ser Glu Arg Ala Arg
 50 55 60

Thr Pro Glu Gly Asp Gly Ile Ser Arg Pro Thr Thr Leu Pro Leu Thr

65	70	75	80
Thr Leu Pro Ser Ile Ala Ile Thr Thr Val Ser Gln Glu Cys Phe Asp	85	90	95
Val Glu Asn Gly Pro Ser Pro Gly Arg Ser Pro Leu Asp Pro Gln Ala	100	105	110
Ser Ser Ser Ala Gly Leu Val Leu His Ala Thr Phe Pro Gly His Ser	115	120	125
Gln Arg Arg Glu Ser Phe Leu Tyr Arg Ser Asp Ser Asp Tyr Asp Leu	130	135	140
Ser Pro Lys Ala Met Ser Arg Asn Ser Ser Leu Pro Ser Glu Gln His	145	150	155
Gly Asp Asp Leu Ile Val Thr Pro Phe Ala Gln Val Leu Ala Ser Leu	165	170	175
Arg Ser Val Arg Asn Asn Phe Thr Ile Leu Thr Asn Leu His Gly Thr	180	185	190
Ser Asn Lys Arg Ser Pro Ala Ala Ser Gln Pro Pro Val Ser Arg Val	195	200	205
Asn Pro Gln Glu Glu Ser Tyr Gln Lys Leu Ala Met Glu Thr Leu Glu	210	215	220
Glu Leu Asp Trp Cys Leu Asp Gln Leu Glu Thr Ile Gln Thr Tyr Arg	225	230	235
Ser Val Ser Glu Met Ala Ser Asn Lys Phe Lys Arg Met Leu Asn Arg	245	250	255
Glu Leu Thr His Leu Ser Glu Met Ser Arg Ser Gly Asn Gln Val Ser	260	265	270
Glu Tyr Ile Ser Asn Thr Phe Leu Asp Lys Gln Asn Asp Val Glu Ile	275	280	285
Pro Ser Pro Thr Gln Lys Asp Arg Glu Lys Lys Lys Lys Gln Gln Leu	290	295	300
Met Thr Gln Ile Ser Gly Val Lys Lys Leu Met His Ser Ser Ser Leu	305	310	315
Asn Asn Thr Ser Ile Ser Arg Phe Gly Val Asn Thr Glu Asn Glu Asp	325	330	335
His Leu Ala Lys Glu Leu Glu Asp Leu Asn Lys Trp Gly Leu Asn Ile	340	345	350
Phe Asn Val Ala Gly Tyr Ser His Asn Arg Pro Leu Thr Cys Ile Met	355	360	365
Tyr Ala Ile Phe Gln Glu Arg Asp Leu Leu Lys Thr Phe Arg Ile Ser	370	375	380
Ser Asp Thr Phe Ile Thr Tyr Met Met Thr Leu Glu Asp His Tyr His	385	390	395
			400

Ser Asp Val Ala Tyr His Asn Ser Leu His Ala Ala Asp Val Ala Gln
 405 410 415
 Ser Thr His Val Leu Leu Ser Thr Pro Ala Leu Asp Ala Val Phe Thr
 420 425 430
 Asp Leu Glu Ile Leu Ala Ala Ile Phe Ala Ala Ala Ile His Asp Val
 435 440 445
 Asp His Pro Gly Val Ser Asn Gln Phe Leu Ile Asn Thr Asn Ser Glu
 450 455 460
 Leu Ala Leu Met Tyr Asn Asp Glu Ser Val Leu Glu Asn His His Leu
 465 470 475 480
 Ala Val Gly Phe Lys Leu Leu Gln Glu Glu His Cys Asp Ile Phe Met
 485 490 495
 Asn Leu Thr Lys Lys Gln Arg Gln Thr Leu Arg Lys Met Val Ile Asp
 500 505 510
 Met Val Leu Ala Thr Asp Met Ser Lys His Met Ser Leu Leu Ala Asp
 515 520 525
 Leu Lys Thr Met Val Glu Thr Lys Lys Val Thr Ser Ser Gly Val Leu
 530 535 540
 Leu Leu Asp Asn Tyr Thr Asp Arg Ile Gln Val Leu Arg Asn Met Val
 545 550 555 560
 His Cys Ala Asp Leu Ser Asn Pro Thr Lys Ser Leu Glu Leu Tyr Arg
 565 570 575
 Gln Trp Thr Asp Arg Ile Met Glu Glu Phe Phe Gln Gln Gly Asp Lys
 580 585 590
 Glu Arg Glu Arg Gly Met Glu Ile Ser Pro Met Cys Asp Lys His Thr
 595 600 605
 Ala Ser Val Glu Lys Ser Gln Val Gly Phe Ile Asp Tyr Ile Val His
 610 615 620
 Pro Leu Trp Glu Thr Trp Ala Asp Leu Val Gln Pro Asp Ala Gln Asp
 625 630 635 640
 Ile Leu Asp Thr Leu Glu Asp Asn Arg Asn Trp Tyr Gln Ser Met Ile
 645 650 655
 Pro Gln Ser Pro Ser Pro Pro Leu Asp Glu Gln Asn Arg Asp Cys Gln
 660 665 670
 Gly Leu Met Glu Lys Phe Gln Phe Glu Leu Thr Leu Asp Glu Glu Asp
 675 680 685
 Ser Glu Gly Pro Glu Lys Glu Gly Glu Gly His Ser Tyr Phe Ser Ser
 690 695 700
 Thr Lys Thr Leu Cys Val Ile Asp Pro Glu Asn Arg Asp Ser Leu Gly
 705 710 715 720

Glu Thr Asp Ile Asp Ile Ala Thr Glu Asp Lys Ser Pro Val Asp Thr
 725 730 735
 <210> 8
 <211> 564
 <212> PRT
 <213> Rattus norvegicus
 <400> 8
 Met Lys Glu Gln Gly Gly Thr Val Ser Gly Ala Gly Ser Ser Arg Gly
 1 5 10 15
 Gly Gly Asp Ser Ala Met Ala Ser Leu Gln Pro Leu Gln Pro Asn Tyr
 20 25 30
 Leu Ser Val Cys Leu Phe Ala Glu Glu Ser Tyr Gln Lys Leu Ala Met
 35 40 45
 Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu Asp Gln Leu Glu Thr Ile
 50 55 60
 Gln Thr Tyr Arg Ser Val Ser Glu Met Ala Ser Asn Lys Phe Lys Arg
 65 70 75 80
 Met Leu Asn Arg Glu Leu Thr His Leu Ser Glu Met Ser Arg Ser Gly
 85 90 95
 Asn Gln Val Ser Glu Tyr Ile Ser Asn Thr Phe Leu Asp Lys Gln Asn
 100 105 110
 Asp Val Glu Ile Pro Ser Pro Thr Gln Lys Asp Arg Glu Lys Lys Lys
 115 120 125
 Lys Gln Gln Leu Met Thr Gln Ile Ser Gly Val Lys Lys Leu Met His
 130 135 140
 Ser Ser Ser Leu Asn Asn Thr Ser Ile Ser Arg Phe Gly Val Asn Thr
 145 150 155 160
 Glu Asn Glu Asp His Leu Ala Lys Glu Leu Glu Asp Leu Asn Lys Trp
 165 170 175
 Gly Leu Asn Ile Phe Asn Val Ala Gly Tyr Ser His Asn Arg Pro Leu
 180 185 190
 Thr Cys Ile Met Tyr Ala Ile Phe Gln Glu Arg Asp Leu Leu Lys Thr
 195 200 205
 Phe Lys Ile Ser Ser Asp Thr Phe Val Thr Tyr Met Met Thr Leu Glu
 210 215 220
 Asp His Tyr His Ser Asp Val Ala Tyr His Asn Ser Leu His Ala Ala
 225 230 235 240
 Asp Val Ala Gln Ser Thr His Val Leu Leu Ser Thr Pro Ala Leu Asp
 245 250 255
 Ala Val Phe Thr Asp Leu Glu Ile Leu Ala Ala Ile Phe Ala Ala Ala
 260 265 270

Ile His Asp Val Asp His Pro Gly Val Ser Asn Gln Phe Leu Ile Asn
 275 280 285
 Thr Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp Glu Ser Val Leu Glu
 290 295 300
 Asn His His Leu Ala Val Gly Phe Lys Leu Leu Gln Glu Glu His Cys
 305 310 315 320
 Asp Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg Gln Thr Leu Arg Lys
 325 330 335
 Met Val Ile Asp Met Val Leu Ala Thr Asp Met Ser Lys His Met Ser
 340 345 350
 Leu Leu Ala Asp Leu Lys Thr Met Val Glu Thr Lys Lys Val Thr Ser
 355 360 365
 Ser Gly Val Leu Leu Leu Asp Asn Tyr Thr Asp Arg Ile Gln Val Leu
 370 375 380
 Arg Asn Met Val His Cys Ala Asp Leu Ser Asn Pro Thr Lys Ser Leu
 385 390 395 400
 Glu Leu Tyr Arg Gln Trp Thr Asp Arg Ile Met Glu Glu Phe Phe Gln
 405 410 415
 Gln Gly Asp Lys Glu Arg Glu Arg Gly Met Glu Ile Ser Pro Met Cys
 420 425 430
 Asp Lys His Thr Ala Ser Val Glu Lys Ser Gln Val Gly Phe Ile Asp
 435 440 445
 Tyr Ile Val His Pro Leu Trp Glu Thr Trp Ala Asp Leu Val Gln Pro
 450 455 460
 Asp Ala Gln Asp Ile Leu Asp Thr Leu Glu Asp Asn Arg Asn Trp Tyr
 465 470 475 480
 Gln Ser Met Ile Pro Gln Ser Pro Ser Pro Pro Leu Asp Glu Arg Ser
 485 490 495
 Arg Asp Cys Gln Gly Leu Met Glu Lys Phe Gln Phe Glu Leu Thr Leu
 500 505 510
 Glu Glu Glu Asp Ser Glu Gly Pro Glu Lys Glu Gly Glu Gly Pro Asn
 515 520 525
 Tyr Phe Ser Ser Thr Lys Thr Leu Cys Val Ile Asp Pro Glu Asn Arg
 530 535 540
 Asp Ser Leu Glu Glu Thr Asp Ile Asp Ile Ala Thr Glu Asp Lys Ser
 545 550 555 560
 Leu Ile Asp Thr

<210> 9
 <211> 721
 <212> PRT
 <213> Rattus norvegicus

<400> 9

Met Thr Ala Lys Asn Ser Ser Lys Glu Leu Pro Ala Ser Glu Ser Glu
 1 5 10 15
 Val Cys Ile Lys Thr Phe Lys Glu Gln Met Arg Leu Glu Leu Glu Leu
 20 25 30
 Pro Lys Leu Pro Gly Asn Arg Pro Thr Ser Pro Lys Ile Ser Pro Arg
 35 40 45
 Ser Ser Pro Arg Asn Ser Pro Cys Phe Phe Arg Lys Leu Leu Val Asn
 50 55 60
 Lys Ser Ile Arg Gln Arg Arg Arg Phe Thr Val Ala His Thr Cys Phe
 65 70 75 80
 Asp Val Glu Asn Gly Pro Ser Pro Gly Arg Ser Pro Leu Asp Pro Gln
 85 90 95
 Ala Ser Ser Ser Ser Gly Leu Val Leu His Ala Ala Phe Pro Gly His
 100 105 110
 Ser Gln Arg Arg Glu Ser Phe Leu Tyr Arg Ser Asp Ser Asp Tyr Asp
 115 120 125
 Leu Ser Pro Lys Ala Met Ser Arg Asn Ser Ser Leu Pro Ser Glu Gln
 130 135 140
 His Gly Asp Asp Leu Ile Val Thr Pro Phe Ala Gln Val Leu Ala Ser
 145 150 155 160
 Leu Arg Ile Val Arg Asn Asn Phe Thr Leu Leu Thr Asn Leu His Gly
 165 170 175
 Ala Pro Asn Lys Arg Ser Pro Ala Ala Ser Gln Ala Pro Val Thr Arg
 180 185 190
 Val Ser Leu Gln Glu Glu Ser Tyr Gln Lys Leu Ala Met Glu Thr Leu
 195 200 205
 Glu Glu Leu Asp Trp Cys Leu Asp Gln Leu Glu Thr Ile Gln Thr Tyr
 210 215 220
 Arg Ser Val Ser Glu Met Ala Ser Asn Lys Phe Lys Arg Met Leu Asn
 225 230 235 240
 Arg Glu Leu Thr His Leu Ser Glu Met Ser Arg Ser Gly Asn Gln Val
 245 250 255
 Ser Glu Tyr Ile Ser Asn Thr Phe Leu Asp Lys Gln Asn Asp Val Glu
 260 265 270
 Ile Pro Ser Pro Thr Gln Lys Asp Arg Glu Lys Lys Lys Lys Gln Gln
 275 280 285
 Leu Met Thr Gln Ile Ser Gly Val Lys Lys Leu Met His Ser Ser Ser
 290 295 300
 Leu Asn Asn Thr Ser Ile Ser Arg Phe Gly Val Asn Thr Glu Asn Glu

305		310		315		320
Asp His Leu Ala Lys Glu Leu Glu Asp Leu Asn Lys Trp Gly Leu Asn						
	325			330		335
Ile Phe Asn Val Ala Gly Tyr Ser His Asn Arg Pro Leu Thr Cys Ile						
	340		345			350
Met Tyr Ala Ile Phe Gln Glu Arg Asp Leu Leu Lys Thr Phe Lys Ile						
	355		360			365
Ser Ser Asp Thr Phe Val Thr Tyr Met Met Thr Leu Glu Asp His Tyr						
	370		375		380	
His Ser Asp Val Ala Tyr His Asn Ser Leu His Ala Ala Asp Val Ala						
385		390		395		400
Gln Ser Thr His Val Leu Leu Ser Thr Pro Ala Leu Asp Ala Val Phe						
	405		410			415
Thr Asp Leu Glu Ile Leu Ala Ala Ile Phe Ala Ala Ala Ile His Asp						
	420		425			430
Val Asp His Pro Gly Val Ser Asn Gln Phe Leu Ile Asn Thr Asn Ser						
	435		440			445
Glu Leu Ala Leu Met Tyr Asn Asp Glu Ser Val Leu Glu Asn His His						
450		455		460		
Leu Ala Val Gly Phe Lys Leu Leu Gln Glu Glu His Cys Asp Ile Phe						
465		470		475		480
Gln Asn Leu Thr Lys Lys Gln Arg Gln Thr Leu Arg Lys Met Val Ile						
	485		490			495
Asp Met Val Leu Ala Thr Asp Met Ser Lys His Met Ser Leu Leu Ala						
	500		505			510
Asp Leu Lys Thr Met Val Glu Thr Lys Lys Val Thr Ser Ser Gly Val						
	515		520			525
Leu Leu Leu Asp Asn Tyr Thr Asp Arg Ile Gln Val Leu Arg Asn Met						
530		535		540		
Val His Cys Ala Asp Leu Ser Asn Pro Thr Lys Ser Leu Glu Leu Tyr						
545		550		555		560
Arg Gln Trp Thr Asp Arg Ile Met Glu Glu Phe Phe Gln Gln Gly Asp						
	565		570			575
Lys Glu Arg Glu Arg Gly Met Glu Ile Ser Pro Met Cys Asp Lys His						
	580		585			590
Thr Ala Ser Val Glu Lys Ser Gln Val Gly Phe Ile Asp Tyr Ile Val						
	595		600			605
His Pro Leu Trp Glu Thr Trp Ala Asp Leu Val Gln Pro Asp Ala Gln						
610		615		620		
Asp Ile Leu Asp Thr Leu Glu Asp Asn Arg Asn Trp Tyr Gln Ser Met						
625		630		635		640

Ile Pro Gln Ser Pro Ser Pro Pro Leu Asp Glu Arg Ser Arg Asp Cys
645 650 655

Gln Gly Leu Met Glu Lys Phe Gln Phe Glu Leu Thr Leu Glu Glu Glu
660 665 670

Asp Ser Glu Gly Pro Glu Lys Glu Gly Glu Gly Pro Asn Tyr Phe Ser
675 680 685

Ser Thr Lys Thr Leu Cys Val Ile Asp Pro Glu Asn Arg Asp Ser Leu
690 695 700

Glu Glu Thr Asp Ile Asp Ile Ala Thr Glu Asp Lys Ser Leu Ile Asp
705 710 715 720

Thr

<210> 10
<211> 2647
<212> DNA
<213> Rattus norvegicus

<400> 10
gtcttgtcat caggagacct cattttacct ctaggttaag ggagagaatc tatgaagaga 60
aaggaatagt ctgtgtctcg gtcttgtccg ggtcagtgtt tctgagagct cacagtggcc 120
acctgaagca tttttcccca gaatgaatga ctgccctgcc tgagaacaga agagccaaac 180
agttcccccc acatggccat agggagctgg ttctatttag aagaaaagca aagagagggg 240
aaagcctccc tcattttctcc tccggacggc aaacattcag aaatgacatc acacacccca 300
cagccccggg atgactaagg cagaagtagc ctgagaaaac tctgctctgc cctgagtttt 360
agggcacagt tatgcagatg agcgtctggg cgcaggttcc cgccttcttc ctctgaggaa 420
gtttcttggg agatcactga cacctcatcc cggcgagggg gtgaaaactt ggcaccagcc 480
actccccctc ccgggcagag caccagaaag agcttggaag caaggagtcg gcaagcaaac 540
aatgaaggag caagggggca ccgtcagtgg cgccgggagc agccgaggcg gaggagactc 600
ggctatggcc agcctgcagc cgctgcagcc taactacctg tctgtgtgtt tgtttgcaga 660
agaatcatat cagaaactag caatggagac gctggaggaa ctagactggt gcctagacca 720
gctagagacc atccagacct accgctctgt cagcgagatg gcttcaaaca agttcaaaag 780
gatgctgaac cgggagctga cacacctctc agagatgagc agatcaggga accaagtgtc 840
tgaatacatt tcgaacacgt tcttagacaa gcagaacgat gtggaaatcc catctccac 900
ccagaaggac agggagaaga agaagaagca gcagctcatg acccagataa gtggagtga 960
gaaactgatg cacagctcaa gcctgaacaa cacaagcatc tcacgctttg gagtcaacac 1020
ggaaaatgag gatcatctag ccaaggagct ggaagacctg aacaaatggg gccttaacat 1080

```

cttcaacgtg gctgggtact cccataatcg gcccctcaca tgcacatgt acgccatttt 1140
ccaggaaaga gaccttctaa agacctttaa aatctctcc gacaccttcg taacctacat 1200
gatgacttta gaagaccatt accattctga tgtggcgtat cacaacagcc tgcacgctgc 1260
tgacgtggcc cagtcaacgc acgttctcct ctctacgcca gcaactggatg ctgtcttcac 1320
agacctggaa atcctggctg ccatttttgc agctgccatc catgatgttg atcatcctgg 1380
agtctccaat cagtttctca tcaatacaaa ttccgaactt gctttgatgt ataatacga 1440
atctgtgctg gaaaaccatc acctcgctgt gggattcaag ctcttcaag aggaacattg 1500
cgacatcttt cagaatctta ccaagaagca acgccagaca ctgaggaaaa tgggtgattga 1560
catggtgtta gcaactgata tgtccaagca catgagcctc ctggctgacc ttaaaacgat 1620
ggtagaaacc aaaaagggtga cgagctccgg tgttctcctc ctggacaact atactgaccg 1680
gatacagggt cttcgcaaca tggtagattg tgcagacctg agcaacccta ccaagtcctt 1740
ggagtgtat cggcaatgga ctgatcgcat catggaggag tttttccaac agggagacaa 1800
agaacgggag aggggaatgg agattagccc aatgtgtgat aaacacacag cttctgtgga 1860
aaagtcccag gttggtttca ttgactacat tgtccatcca ttgtgggaga cctgggcaga 1920
cctggttcag cctgatgctc aagacatttt ggacacacta gaagataaca ggaactggta 1980
ccagagtatg attccccaga gcccctctcc accactggac gagaggagca gggactgcca 2040
aggccttatg gagaagtttc agttcgaact gacccttgaa gaagaggatt ctgaaggacc 2100
ggaaaaggag ggagaaggcc ccaactattt cagcagcaca aagacacttt gtgtgatcga 2160
tccagagaac agggattctc tggaagagac tgacatagac attgccacag aagacaagtc 2220
tctgatcgac acataatctc cctctgtgtg gaggtgaaca ttctatcctt gacgagcatg 2280
ccagctgagt ggtagggccc acctaaccaga gccaaggcct gcacaaaaca aaggccacct 2340
ggctttgcag ttacttgagt ttggagccag aatgcaaggc cgtgaagcaa atagcagttc 2400
cgtgctgcct tgccttgccg gcgagcttgg cgagaccgc agctgtagta gaagccagtt 2460
cccagcacag ctaaatggct tgaaaacaga ggacagaaag ctgagagatt gctctgcaat 2520
aggtgttgag gggctgtccc gacaggtgac tgaactcact aacaacttca tctataaatc 2580
tcacccatcc tgttgtctgc caacctgtgt gccttttttg taaaatgttt tcgtgtcttt 2640
gaaatgc 2647

```

```

<210> 11
<211> 3133
<212> DNA
<213> Rattus norvegicus

<400> 11

```

gaattcgcgc acgagagcac atgctggatg gactctgggt ccgccctttg tgcagacaaa	60
agtgactggg tggccaggct ttgcttactg tctgagttaa tgaagcttgt ttgataaggt	120
tttctttcaa aaaaaaatta catataaagg atttatcaaa agccctcatg aatatttcat	180
gagttgatac attcggctga atggattcag tgagtctcag tgtgtaactt gcacacaagc	240
cccatccaca aggaggctgg tgacagagga agcactttgg cgcattttca gaggcaaagg	300
cagcctgata aagctcctgt gacaggctga cttgccattc tcccagtatg ctgctcttgc	360
tctgaagtgc tccaggattg gaaccatcac ggcttcccaa attagcctag gacgagtgtg	420
cggacccagc agccttttaa cctgcggcag tgcctttgct atgttcaaga ctgttgttgt	480
ggatggtgaa agctagcgcg ccacacgaga catgacagca aaaaattctt ccaaagaact	540
tccagcttct gaatctgagg ttgcatataa gactttcaag gagcagatgc gcttggaact	600
tgagcttcca aagctaccag gaaacagacc tacatctccc aaaatttctc cagcgagttc	660
accaaggaat tcacatgct ttttcagaaa gttgctggtg aataaaagca tccgacagcg	720
gcgtcgcttc actgtggctc atacatgctt tgatgtggaa aatggccctt ctccaggtcg	780
gagccactg gaccctcaag ccagctcttc ttcaggactg gtacttcatg ccgccttccc	840
tgggcacagc caacgcagag agtcttttct ctacagatcc gacagcgact atgacttgct	900
acaaaagcg atgtcaagga actcctcact tcccagcgaa caacacggcg atgacctgat	960
tgtcactcct ttgcccagg ttcttgccag cttgcgaatc gtaagaaaca atttcaccct	1020
gctgacaaac cttcacggag caccgaacaa gaggtcgcca gcggctagtc aggtctcagt	1080
caccagagtc agcctgcaag aagaatcata tcagaaacta gcaatggaga cgctggagga	1140
actagactgg tgcttagacc agctagagac catccagacc taccgctctg tcagcgagat	1200
ggcttcaaac aagttcaaaa ggatgctgaa ccgggagctg acacacctct cagagatgag	1260
cagatcaggg aaccaagtgt ctgaatacat ttcgaacacg ttcttagaca agcagaacga	1320
tgtggaaatc ccatctcca ccagaagga cagggagaag aagaagaagc agcagctcat	1380
gaccagata agtggagtga agaaactgat gcacagctca agcctgaaca acacaagcat	1440
ctcacgcttt ggagtcaaca cggaaaatga ggatcatcta gccaaaggagc tggaagacct	1500
gaacaaatgg ggccttaaca tcttcaacgt ggctgggtac tcccataatc ggccctcac	1560
atgcatcatg tacgccattt tccaggaaag agaccttcta aagacgttta aaatctctc	1620
cgacaccttc gtaacctaca tgatgacttt agaagaccat taccattctg atgtggcgta	1680
tcacaacagc ctgcacgctg ctgacgtggc ccagtcaacg cacttctctc tctctacgcc	1740
agcactggat gctgtcttca cagacctgga aatcctggct gccatttttg cagctgccat	1800
ccatgatgtt gatcatctg gagtctccaa tcagtctctc atcatacaa attccgaact	1860

tgctttgatg tataatgacg aatctgtgct ggaaaaccat cacctcgctg tgggattcaa	1920
gctccttcaa gaggaacatt gcgacatctt tcagaatctt accaagaagc aacgccagac	1980
actcaggaaa atggtgattg acatggtgtt agcaactgat atgtccaagc acatgagcct	2040
cctggctgac cttaaaacga tggtagaaac caaaaagggtg acgagctccg gtgttctcct	2100
cctggacaac tatactgacc ggatacaggt tcttcgcaac atggtacatt gtgcagacct	2160
gagcaaccct accaagtcct tggagttgta tcggcaatgg actgatcgca tcatggagga	2220
gtttttccaa cagggagaca aagaacggga gaggggaatg gagattagcc caatgtgtga	2280
taaacacaca gcttctgtgg aaaagtccca ggttggtttc attgactaca ttgtccatcc	2340
attgtgggag acctgggcag acctggttca gcctgatgct caagacattt tggacacact	2400
agaagataac aggaactggt accagagtat gattccccag agccccctct caccactgga	2460
cgagaggagc agggactgcc aaggccttat ggagaagttt cagttcgaac tgacccttga	2520
agaagaggat tctgaaggac cggaaaagga gggagaaggc cccaactatt tcagcagcac	2580
aaagacactt tgtgtgatcg atccagagaa cagggattct ctggaagaga ctgacataga	2640
cattgccaca gaagacaagt ctctgatcga cacataatct ccctctgtgt ggaggtgaac	2700
attctatcct tgacgagcat gccagctgag tggtagggcc cacctaccag agccaaggcc	2760
tgcacaaaac aaaggccacc tggctttgca gttacttgag tttggagcca gaatgcaagg	2820
ccgtgaagca aatagcagtt ccgtgctgcc ttgccttgcc ggcgagcttg gcgagaccg	2880
cagctgtagt agaagccagt tcccagcaca gctaaatggc ttgaaaacag aggacagaaa	2940
gctgagagat tgctctgcaa taggtgttga ggggctgtcc cgacaggtga ctgaactcac	3000
taacaacttc atctataaat ctcacccatc ctgttgtctg ccaacctgtg tgcctttttt	3060
gtaaaatggt ttcgtgtctt tgaaatgcct gttgaatatc tagagtttag tacctccttc	3120
tacaaaacttt ttt	3133

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/34035

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : C12N 9/16, 9/22, 1/20, 15/00, 5/00; C07H 21/04

US CL. : 435-196, 199, 252.3, 320.1, 325; 536-23.2

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435-196, 199, 252.3, 320.1, 325; 536-23.2

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Please See Extra Sheet.

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	MONACO, L. et al. Structure of Two Rat Genes Coding for Closely Related Rolipram-sensitive cAMP Phosphodiesterases. MULTIPLE mRNA VARIANTS ORIGINATE FROM ALTERNATE SPLICING AND MULTIPLE START SITES. J. Biol. Chem. 07 January 1994, Vol. 269, No. 1, pages 347-357, see the entire document, especially Fig. 2 to Fig. 5.	1-18
Y	HUSTON, E. et al. Molecular cloning and transient expression in COS7 cells of a novel human PDE4B cAMP-specific phosphodiesterase, HSPDE4B3. Biochem. J. 1997, Vol. 328, pages 549-558, see the entire document.	1-18

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents	* T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
* A* document defining the general state of the art which is not considered to be of particular relevance	* X* document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
* E* earlier document published on or after the international filing date	* Y* document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
* L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	* &* document member of the same patent family
* C* document referring to an oral disclosure, use, exhibition or other means	
* P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

13 MARCH 2001

Date of mailing of the international search report

06 APR 2001

Name and mailing address of the ISA US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer
Dorinda Lawrence
TEKCHAND SAIDHA

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.

PCT:US00-34045

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

West search, stu search in files medline, caplus, embase, biosis, biotechds and others. Search terms used : human or mammalian phosphodiesterase, and gene or dna or rna or nucleic acid? and others. Issued US patent, EST, genebank and protein data bases search for the claimed SEQ ID NOS.